

Codebook for Wisconsin Elementary and Secondary School District File, 1945-1957

INTRODUCTION

Wisconsin Elementary and Secondary School District Characteristics, 1945-1957

This data set was prepared by John Robert Warren and Andrew Halpern-Manners. See Appendix B cor997.pdf for details of construction and more information about selected variables.

This data set contains separate variables for each of the years when WLS respondents were presumed to be enrolled in public primary or secondary school, and therefore, differs from the "Resources of Wisconsin High School District, 1954-57" created by Deena Ackerman and Craig Olson, whose measures are averages taken over the secondary school years of WLS respondents (1954-57). Since WLS only collected information on the elementary school the respondents attended the longest, all individuals were assumed to remain in the same school district throughout their primary school years (1945-1953). Similar assumption was made for the high school years (1954-1957) as well. While the school district associated with each respondent remains the same throughout the years within school level (e.g. primary or secondary), the year-by-year variations in the measured variables within school district are preserved in current data set. This also means that if information from certain school district is not available for a particular year, the data will be missing for that year.

COMPONENTS OF THE DATA SET

The data set contains two data files, one for elementary/primary school, the other for secondary/high school, both available in Stata and SAS data format (with extension .dta and .sas7bdat, respectively):

district_primary_user - This data file contains primary school district variables pertaining to WLS respondents' presumed primary school years (1945-1953).

district_secondary_user - This data file contains high school district variables pertaining to WLS respondents' presumed high school years (1954-1957).

The identifier variables needed to link WLS respondents to the primary and secondary school district data are:

elemcode	Unique district identifier that links WLS respondents to primary school district file.
hrcode	Unique district identifier that links WLS respondents to high school district file.
discode	Unique district identifier that links WLS respondents to Ackerman-Olson's Wisconsin High School District Information.

These three variables are documented in the WLS Codebooks and Flowcharts for the 1957-1964 graduates under 1957 Education module.

Notes:

1. Missing in the identifier variables.

The school district data are available for public schools only. No district data are available for respondents who attended private and parochial schools and therefore the school district identifier is missing for these respondents. Additional missing records exist because match cannot be made based on information provided by the respondents.

2. All the dollar amounts are in contemporary dollar and not adjusted for inflation.

NOTES ON READING THIS CODEBOOK

This codebook is an edited version of the codebook generated by Stata 10 and is structured as follows:

- In the school district data, variables with two-digit numeric suffix following the underscore (_) contain information pertaining to the (two-digit) year indicated by the suffix. For example, enrol_45 contains the total number of student enrollment in the district in 1945.
- The type of variable, range, number of unique values, missing value code, mean, and standard deviation for each variable appear below the variable description.
- To the right of this is the units for the variable and the number of values coded missing. Number of cases coded missing appears in the form number of missing out of total number of cases.
- Below this is the percentile breakdown for the variable. This provides a more detailed look at the distribution of the variable. The first number in the percentile section appears below the heading 10% and is the value that 10% of the cases for that variable fall below. The number appearing under the 25% heading is the value that 25% of the cases for that variable fall below, and so forth. Note that in the school district files (district_elem_user and district_hs_user) each recrod represents a school district and the files include only districts attended by WLS respondents.

CODEBOOK

```

/*****
/* School district characteristics -- Elementary School/Primary School */
/*****
Data file: district elem user.dta or district elem user.sas7bdat

```

elemcode	Unique district indentifier -- Primary years
----------	--

```

      type:  numeric (double)

      range:  [1.011,71.07]          units:  .001
unique values: 320                  missing .:  0/320

      mean:   38.1014
      std. dev: 20.6973

percentiles:      10%      25%      50%      75%      90%
                  10.0155  20.02   40.015   57.07   66.0135

```

enrol 45	Total enrollment, 1945
----------	------------------------

```

      type:  numeric (long)
      range:  [0,51091]
unique values: 229
                        units: 1
                        missing .: 26/320

      mean:    691.997
      std. dev: 3126.34

percentiles:      10%      25%      50%      75%      90%
                  70       114      194      393     1027

```

enrol 46	Total enrollment, 1946
----------	------------------------

```

-----
                type:  numeric (long)

                range:  [0,50335]                units:  1
unique values:  235                                missing .:  7/320

                mean:   650.783
                std. dev: 2987.15

percentiles:           10%           25%           50%           75%           90%
                       71            117            191            381            948
-----

```

```

-----
enrol_47                                           Total enrollment, 1947
-----

```

```

                type:  numeric (long)

                range:  [0,49458]                units:  1
unique values:  237                                missing .:  6/320

                mean:   642.49
                std. dev: 2924.46

percentiles:           10%           25%           50%           75%           90%
                       72            124           197.5           390           936
-----

```

```

-----
enrol_48                                           Total enrollment, 1948
-----

```

```

                type:  numeric (long)

                range:  [0,50048]                units:  1
unique values:  233                                missing .:  11/320

                mean:   653.534
                std. dev: 2977.42

percentiles:           10%           25%           50%           75%           90%
                       74            122            202            409           965
-----

```

```

-----
enrol_49                                           Total enrollment, 1949
-----

```

```

                type:  numeric (double)

                range:  [0,50109]                units:  .00001
unique values:  238                                missing .:  8/320

                mean:   680.108
                std. dev: 2976.16

percentiles:           10%           25%           50%           75%           90%
                       76            134.5           220           439.5           962
-----

```

```

-----
enrol_50                                           Total enrollment, 1950
-----

```

```

                type:  numeric (double)

```

range: [0,50691] units: .01
unique values: 198 missing .: 77/320

mean: 663.096
std. dev: 3341.38

percentiles:	10%	25%	50%	75%	90%
	81	135	221	408	831

enrol_51 Total enrollment, 1951

type: numeric (double)

range: [0,46742] units: .00001
unique values: 221 missing .: 44/320

mean: 671.346
std. dev: 2941.22

percentiles:	10%	25%	50%	75%	90%
	88	151.5	228	437.5	866

enrol_52 Total enrollment, 1952

type: numeric (double)

range: [0,49205] units: .1
unique values: 250 missing .: 10/320

mean: 723.626
std. dev: 2947.19

percentiles:	10%	25%	50%	75%	90%
	92	155	254	513	1049

enrol_53 Total enrollment, 1953

type: numeric (double)

range: [0,60755] units: .1
unique values: 249 missing .: 19/320

mean: 839.751
std. dev: 3666.87

percentiles:	10%	25%	50%	75%	90%
	97	165	273	530	1277

open_45 Length of school year, 1945

type: numeric (double)

range: [0,190] units: .1
unique values: 30 missing .: 26/320

```

        mean: 171.061
      std. dev: 30.8007

percentiles:      10%      25%      50%      75%      90%
                  172      174      176      177      182

```

```

-----
open_46                                     Length of school year, 1946
-----

```

```

        type: numeric (double)

        range: [0,190]          units: .1
unique values: 29              missing .: 8/320

        mean: 171.385
      std. dev: 31.4759

percentiles:      10%      25%      50%      75%      90%
                  173      175      176      178      184

```

```

-----
open_47                                     Length of school year, 1947
-----

```

```

        type: numeric (double)

        range: [0,190]          units: .1
unique values: 30              missing .: 6/320

        mean: 170.541
      std. dev: 31.2971

percentiles:      10%      25%      50%      75%      90%
                  171      174      176      177      183

```

```

-----
open_48                                     Length of school year, 1948
-----

```

```

        type: numeric (double)

        range: [0,190]          units: .1
unique values: 26              missing .: 11/320

        mean: 169.744
      std. dev: 34.852

percentiles:      10%      25%      50%      75%      90%
                  173      174      176      177      183

```

```

-----
open_49                                     Length of school year, 1949
-----

```

```

        type: numeric (double)

        range: [0,194]          units: .1
unique values: 28              missing .: 8/320

        mean: 169.052
      std. dev: 35.4996

```

percentiles:	10%	25%	50%	75%	90%
	173	174	175	177	182

open_50	Length of school year, 1950
---------	-----------------------------

type:	numeric (double)				
range:	[0,190]	units:	.1		
unique values:	25	missing .:	77/320		
mean:	170.399				
std. dev:	31.7129				
percentiles:	10%	25%	50%	75%	90%
	172	174	175	177	181

open_51	Length of school year, 1951
---------	-----------------------------

type:	numeric (double)				
range:	[0,190]	units:	.1		
unique values:	24	missing .:	44/320		
mean:	171.25				
std. dev:	29.8352				
percentiles:	10%	25%	50%	75%	90%
	173	174	175	177	181

open_52	Length of school year, 1952
---------	-----------------------------

type:	numeric (double)				
range:	[0,190]	units:	.001		
unique values:	27	missing .:	10/320		
mean:	171.452				
std. dev:	29.8939				
percentiles:	10%	25%	50%	75%	90%
	173	175	176	177	181

open_53	Length of school year, 1953
---------	-----------------------------

type:	numeric (double)				
range:	[0,190]	units:	.1		
unique values:	25	missing .:	19/320		
mean:	170.877				
std. dev:	31.8979				
percentiles:	10%	25%	50%	75%	90%
	174	175	176	177	182

attend_45	Average daily attendance, 1945
1	100
2	100
3	100
4	100
5	100
6	100
7	100
8	100
9	100
10	100
11	100
12	100
13	100
14	100
15	100
16	100
17	100
18	100
19	100
20	100
21	100
22	100
23	100
24	100
25	100
26	100
27	100
28	100
29	100
30	100
31	100
32	100
33	100
34	100
35	100
36	100
37	100
38	100
39	100
40	100
41	100
42	100
43	100
44	100
45	100
46	100
47	100
48	100
49	100
50	100
51	100
52	100
53	100
54	100
55	100
56	100
57	100
58	100
59	100
60	100
61	100
62	100
63	100
64	100
65	100
66	100
67	100
68	100
69	100
70	100
71	100
72	100
73	100
74	100
75	100
76	100
77	100
78	100
79	100
80	100
81	100
82	100
83	100
84	100
85	100
86	100
87	100
88	100
89	100
90	100
91	100
92	100
93	100
94	100
95	100
96	100
97	100
98	100
99	100
100	100

```

      type:  numeric (double)
      range:  [0,41671.1]          units:  .0001
unique values: 280                missing .: 26/320

      mean:    562.535
      std. dev: 2544.87

percentiles:      10%      25%      50%      75%      90%
                  56      94.8    164.25   330      879.8

```

attend_46	Average daily attendance, 1946
1	1.0
2	1.0
3	1.0
4	1.0
5	1.0
6	1.0
7	1.0
8	1.0
9	1.0
10	1.0
11	1.0
12	1.0
13	1.0
14	1.0
15	1.0
16	1.0
17	1.0
18	1.0
19	1.0
20	1.0
21	1.0
22	1.0
23	1.0
24	1.0
25	1.0
26	1.0
27	1.0
28	1.0
29	1.0
30	1.0
31	1.0
32	1.0
33	1.0
34	1.0
35	1.0
36	1.0
37	1.0
38	1.0
39	1.0
40	1.0
41	1.0
42	1.0
43	1.0
44	1.0
45	1.0
46	1.0
47	1.0
48	1.0
49	1.0
50	1.0
51	1.0
52	1.0
53	1.0
54	1.0
55	1.0
56	1.0
57	1.0
58	1.0
59	1.0
60	1.0
61	1.0
62	1.0
63	1.0
64	1.0
65	1.0
66	1.0
67	1.0
68	1.0
69	1.0
70	1.0
71	1.0
72	1.0
73	1.0
74	1.0
75	1.0
76	1.0
77	1.0
78	1.0
79	1.0
80	1.0
81	1.0
82	1.0
83	1.0
84	1.0
85	1.0
86	1.0
87	1.0
88	1.0
89	1.0
90	1.0
91	1.0
92	1.0
93	1.0
94	1.0
95	1.0
96	1.0
97	1.0
98	1.0
99	1.0
100	1.0

```

type:    numeric (double)

range:    [0,42450.1]          units:    .01
unique values: 295             missing .:  7/320

mean:     536.08
std. dev: 2507.65

percentiles:    10%    25%    50%    75%    90%
                  60    99.9   163   324.1  795.4

```

attend_47 Average daily attendance, 1947

```

      type:    numeric (double)

      range:    [0,42224.9]          units:    .01
unique values: 293                  missing .:  6/320

      mean:     608.445
      std. dev: 2763.35

percentiles:      10%      25%      50%      75%      90%
                  63.9      106      167.5      336      813.3

```

attend 48	Average daily attendance, 1948
-----------	--------------------------------

```

      type:  numeric (double)

      range:  [0,42816]          units:  .01
unique values: 289              missing .: 11/320

      mean:   559.316
      std. dev: 2542.04

percentiles:      10%      25%      50%      75%      90%
                  65.5     107.8    176.4    354      802.8

```

attend_49	Average daily attendance, 1949
-----------	--------------------------------

```

-----
                type:  numeric (double)

                range:  [0,134031]                units:  .01
unique values:  291                missing ..:  8/320

                mean:    1013
                std. dev: 7979.68

percentiles:      10%      25%      50%      75%      90%
                  69.6    120.5    193.1    385.6    832.5

```

```

-----
attend_50                Average daily attendance, 1950
-----

```

```

                type:  numeric (long)

                range:  [0,39757]                units:  1
unique values:  188                missing ..:  77/320

                mean:    555.337
                std. dev: 2634.9

percentiles:      10%      25%      50%      75%      90%
                  68      119      194      359      692

```

```

-----
attend_51                Average daily attendance, 1951
-----

```

```

                type:  numeric (double)

                range:  [0,40006]                units:  .1
unique values:  217                missing ..:  44/320

                mean:    568.989
                std. dev: 2509.56

percentiles:      10%      25%      50%      75%      90%
                  77      127.5    197      381      765

```

```

-----
attend_52                Average daily attendance, 1952
-----

```

```

                type:  numeric (double)

                range:  [0,41712]                units:  .01
unique values:  232                missing ..:  10/320

                mean:    603.99
                std. dev: 2483.33

percentiles:      10%      25%      50%      75%      90%
                  84      133      216      428      888

```

```

-----
attend_53                Average daily attendance, 1953
-----

```

```

                type:  numeric (double)

```


range: [0,44911] units: .1
unique values: 235 missing .: 19/320

mean: 650.041
std. dev: 2718.48

percentiles:	10%	25%	50%	75%	90%
	84	139	226	436	916

dis_45 Days closed for disease, 1945

type: numeric (byte)

range: [0,15] units: 1
unique values: 8 missing .: 26/320

tabulation:	Freq.	Value
	272	0
	1	2
	2	3
	5	5
	7	10
	3	13
	2	14
	2	15
	26	.

dis_46 Days closed for disease, 1946

type: numeric (double)

range: [0,12] units: .1
unique values: 11 missing .: 7/320

mean: .384984
std. dev: 1.51473

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

dis_47 Days closed for disease, 1947

type: numeric (double)

range: [0,15] units: .1
unique values: 13 missing .: 6/320

mean: .944268
std. dev: 2.81159

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	5

dis_48 Days closed for disease, 1948

```

type: numeric (byte)
range: [0,0] units: 1
unique values: 1 missing .: 11/320

tabulation: Freq. Value
              309  0
              11  .

```

```

dis_49 Days closed for disease, 1949

```

```

type: numeric (byte)
range: [0,15] units: 1
unique values: 8 missing .: 8/320

tabulation: Freq. Value
              296  0
               1  2
               3  5
               1  6
               4 10
               5 11
               1 12
               1 15
               8  .

```

```

dis_50 Days closed for disease, 1950

```

```

type: numeric (byte)
range: [0,10] units: 1
unique values: 4 missing .: 77/320

tabulation: Freq. Value
              239  0
               2  2
               1  5
               1 10
              77  .

```

```

dis_51 Days closed for disease, 1951

```

```

type: numeric (byte)
range: [0,10] units: 1
unique values: 3 missing .: 44/320

tabulation: Freq. Value
              274  0
               1  4
               1 10
              44  .

```

```

dis_52 Days closed for disease, 1952

```

```

-----
                type:  numeric (byte)

                range:  [0,9]                      units:  1
unique values:  6                      missing .:  10/320

    tabulation:  Freq.  Value
                  304    0
                   2    3
                   1    4
                   1    5
                   1    8
                   1    9
                  10    .
-----
dis_53                      Days closed for disease, 1953
-----

```

```

                type:  numeric (byte)

                range:  [0,10]                     units:  1
unique values:  9                      missing .:  19/320

    tabulation:  Freq.  Value
                  283    0
                   6    1
                   2    2
                   2    3
                   4    4
                   1    5
                   1    7
                   1    8
                   1   10
                  19    .
-----

```

```

-----
malpay_45                      Total male salary, 1945
-----

                type:  numeric (double)

                range:  [0,346261.53]              units:  .01
unique values:  162                      missing .:  26/320

                mean:   4074.47
                std. dev: 21208.2

    percentiles:          10%      25%      50%      75%      90%
                        0          0      368.75    2050    6010.2
-----

```

```

-----
malpay_46                      Total male salary, 1946
-----

                type:  numeric (double)

                range:  [0,418505.26]              units:  .01
unique values:  201                      missing .:  7/320

                mean:   4618.77
                std. dev: 24777.5
-----

```

percentiles:	10%	25%	50%	75%	90%
	0	0	907.5	2369	6188.25

malpay_47	Total male salary, 1947
-----------	-------------------------

```

type: numeric (double)

range: [0,515099.52]          units: .01
unique values: 218           missing .: 6/320

mean: 6351.12
std. dev: 30637.1

percentiles:    10%    25%    50%    75%    90%
                0      0    1799.47  3459.8  9362.77

```

malpay_48	Total male salary, 1948
-----------	-------------------------

```

type: numeric (double)

range: [0,569749.64]          units: .01
unique values: 218           missing .: 11/320

mean: 7622.9
std. dev: 34957.2

percentiles:    10%    25%    50%    75%    90%
                0      0    2030.5  4166.52  12219

```

malpay_49	Total male salary, 1949
-----------	-------------------------

```

type: numeric (double)

range: [0,645818.61]          units: .00001
unique values: 233           missing .: 8/320

mean: 8862.49
std. dev: 39351.4

percentiles:    10%    25%    50%    75%    90%
                0    119.667  2430.38  5138.57  14516.8

```

fempay_45	Total female salary, 1945
-----------	---------------------------

```

type: numeric (double)

range: [0,3298596.8]          units: .01
unique values: 286           missing .: 26/320

mean: 37263.7
std. dev: 200086

percentiles:    10%    25%    50%    75%    90%
                3651   5220   8726.15  18822.9  44821.1

```

fempay_46 Total female salary, 1946

type: numeric (double)

range:	[0,3226406.8]	units:	.01		
unique values:	300	missing .:	7/320		
mean:	37339.6				
std. dev:	191666				
percentiles:	10%	25%	50%	75%	90%
	3637.5	5309.4	9210.32	17302	44391.7

fempay_47 Total female salary, 1947

type: numeric (double)

range:	[0,3447204.5]	units:	.01		
unique values:	303	missing .:	6/320		
mean:	41288.9				
std. dev:	205259				
percentiles:	10%	25%	50%	75%	90%
	3658.3	5740.03	10863.3	21442.5	50580.3

fempay_48 Total female salary, 1948

type: numeric (double)

range:	[0,3874781.6]	units:	.01		
unique values:	297	missing .:	11/320		
mean:	48101.1				
std. dev:	233971				
percentiles:	10%	25%	50%	75%	90%
	3870	6345	12400	25240	61950.1

fempay_49 Total female salary, 1949

type: numeric (double)

range:	[0,4322016.9]	units:	.001		
unique values:	298	missing .:	8/320		
mean:	55978				
std. dev:	260212				
percentiles:	10%	25%	50%	75%	90%
	4977.5	7867.5	15080.7	30060.1	72229.4

sal_45 Total salary, 1945

```

-----
                type:  numeric (double)

                range:  [0,3644858.3]                units:  .01
unique values:  287                                missing .:  26/320

                mean:   41338.2
                std. dev: 221084

                percentiles:      10%      25%      50%      75%      90%
                                3780      5383.5  9699.76  20491  53608

```

```

-----
sal_46                                                    Total salary, 1946
-----

```

```

                type:  numeric (double)

                range:  [0,3644912]                units:  .01
unique values:  303                                missing .:  7/320

                mean:   41958.4
                std. dev: 216239

                percentiles:      10%      25%      50%      75%      90%
                                3957.15  5892.49  9929.25  20536.6  48604.4

```

```

-----
sal_47                                                    Total salary, 1947
-----

```

```

                type:  numeric (double)

                range:  [0,3962304]                units:  .01
unique values:  305                                missing .:  6/320

                mean:   47640
                std. dev: 235469

                percentiles:      10%      25%      50%      75%      90%
                                4340      6636.9  12387.3  24662.3  59994.1

```

```

-----
sal_48                                                    Total salary, 1948
-----

```

```

                type:  numeric (double)

                range:  [0,4444531.2]                units:  .01
unique values:  297                                missing .:  11/320

                mean:   55724
                std. dev: 268424

                percentiles:      10%      25%      50%      75%      90%
                                5023.94  7650    14477.4  28525.8  71263.9

```

```

-----
sal_49                                                    Total salary, 1949
-----

```

```

                type:  numeric (double)

```

range: [0,4967835.5] units: .001
unique values: 298 missing.: 8/320

mean: 64840.5
std. dev: 298895

percentiles:	10%	25%	50%	75%	90%
	5925.97	9299.75	17043.8	36008.9	87104.8

sal_50 Total salary, 1950

type: numeric (double)

range: [0,5298159.4] units: .01
unique values: 236 missing.: 77/320

mean: 68934.4
std. dev: 354937

percentiles:	10%	25%	50%	75%	90%
	5700	9743.05	19434.3	37780	77474.6

sal_51 Total salary, 1951

type: numeric (double)

range: [0,5715532] units: .01
unique values: 270 missing.: 44/320

mean: 75593.8
std. dev: 362951

percentiles:	10%	25%	50%	75%	90%
	6971.38	12078.4	21197.6	44383.3	99689

sal_52 Total salary, 1952

type: numeric (double)

range: [0,6577918.9] units: .01
unique values: 302 missing.: 10/320

mean: 89042.9
std. dev: 397174

percentiles:	10%	25%	50%	75%	90%
	8460	14000	25561.5	55356.9	118585

sal_53 Total salary, 1953

type: numeric (double)

range: [0,7625013] units: .01
unique values: 292 missing.: 19/320

```

      mean:      104923
    std. dev:    468242

percentiles:      10%      25%      50%      75%      90%
                  9462.54    16400    29042    60534.5    147731

```

```

-----
expen_45                                           Expenses on instruction, 1945
-----

```

```

      type:      numeric (double)

      range:      [0,3644858.3]          units:      .01
unique values:    287                    missing .:  26/320

      mean:      41348.5
    std. dev:    221083

percentiles:      10%      25%      50%      75%      90%
                  3780     5383.5    9796.13    20491    53608

```

```

-----
expen_46                                           Expenses on instruction, 1946
-----

```

```

      type:      numeric (double)

      range:      [0,3644912]          units:      .01
unique values:    303                    missing .:  7/320

      mean:      41970.7
    std. dev:    216237

percentiles:      10%      25%      50%      75%      90%
                  3957.15    5892.49    9929.25    20536.6    48604.4

```

```

-----
expen_47                                           Expenses on instruction, 1947
-----

```

```

      type:      numeric (double)

      range:      [0,3962304]          units:      .01
unique values:    305                    missing .:  6/320

      mean:      47656.5
    std. dev:    235467

percentiles:      10%      25%      50%      75%      90%
                  4340     6636.9    12387.3    24662.3    59994.1

```

```

-----
expen_48                                           Expenses on instruction, 1948
-----

```

```

      type:      numeric (double)

      range:      [0,4444531.2]        units:      .01
unique values:    297                    missing .:  11/320

      mean:      55730.6
    std. dev:    268423

```


percentiles:	10%	25%	50%	75%	90%
	5023.94	7650	14477.4	28525.8	71263.9

expen_49	Expenses on instruction, 1949
----------	-------------------------------

```

type: numeric (double)

range: [0,4967835.5]          units: .001
unique values: 298           missing .: 8/320

mean: 64849
std. dev: 298894

percentiles:    10%    25%    50%    75%    90%
                5925.97 9299.75 17043.8 36008.9 87104.8

```

expen_50	Expenses on instruction, 1950
----------	-------------------------------

```

type: numeric (double)

range: [0,6273039]          units: .01
unique values: 237          missing .: 77/320

mean: 80942.3
std. dev: 420100

percentiles:    10%    25%    50%    75%    90%
                7537.09 11783.5 21734.4 40774.5 98956.8

```

expen_51	Expenses on instruction, 1951
----------	-------------------------------

```

type: numeric (double)

range: [0,6748907.9]        units: .01
unique values: 270           missing .: 44/320

mean: 89298.5
std. dev: 429009

percentiles:    10%    25%    50%    75%    90%
                8845   14325.6 24315.4 49013.9 110508

```

expen_52	Expenses on instruction, 1952
----------	-------------------------------

```

type: numeric (double)

range: [0,7712029.6]        units: .01
unique values: 303           missing .: 10/320

mean: 104783
std. dev: 465706

percentiles:    10%    25%    50%    75%    90%
                10620.3 17148.5 30214 63662.2 141118

```

expen_53 Expenses on instruction, 1953

type: numeric (double)
range: [0,8895507] units: .01
unique values: 294 missing .: 19/320
mean: 122952
std. dev: 547126
percentiles: 10% 25% 50% 75% 90%
11604.4 19841.2 33745.3 70853.5 174672

expup_45 Expenditures per pupil, 1945

type: numeric (double)
range: [0,118.27] units: .01
unique values: 279 missing .: 26/320
mean: 58.7144
std. dev: 16.7785
percentiles: 10% 25% 50% 75% 90%
43.63 50.57 57.76 66.19 79.65

expup_46 Expenditures per pupil, 1946

type: numeric (double)
range: [0,128.24] units: .01
unique values: 290 missing .: 7/320
mean: 63.1396
std. dev: 18.8594
percentiles: 10% 25% 50% 75% 90%
47.36 54.34 61.35 73.14 84.33

expup_47 Expenditures per pupil, 1947

type: numeric (double)
range: [0,147.14] units: .01
unique values: 300 missing .: 6/320
mean: 72.6456
std. dev: 22.3695
percentiles: 10% 25% 50% 75% 90%
52.22 60.92 70.825 86.22 97.31

expup_48 Expenditures per pupil, 1948

```

-----
                type:  numeric (double)

                range:  [0,163.85]                units:  .01
unique values:  290                                missing .:  11/320

                mean:   80.7159
                std. dev: 25.2953

percentiles:      10%      25%      50%      75%      90%
                  59.9     69.31    80.28    93.43    107.7
-----

```

```

-----
expup_49                                Expenditures per pupil, 1949
-----

```

```

                type:  numeric (double)

                range:  [0,186.16]                units:  .01
unique values:  296                                missing .:  8/320

                mean:   90.3287
                std. dev: 28.1329

percentiles:      10%      25%      50%      75%      90%
                  67.46    77.885   90.495   104.2    120.53
-----

```

```

-----
expup_50                                Expenditures per pupil, 1950
-----

```

```

                type:  numeric (double)

                range:  [0,216.29]                units:  .01
unique values:  232                                missing .:  77/320

                mean:   98.9241
                std. dev: 30.1396

percentiles:      10%      25%      50%      75%      90%
                  72.51    84.4     96.92   113.53   132.81
-----

```

```

-----
expup_51                                Expenditures per pupil, 1951
-----

```

```

                type:  numeric (double)

                range:  [0,198.95]                units:  .01
unique values:  267                                missing .:  44/320

                mean:   108.453
                std. dev: 29.5427

percentiles:      10%      25%      50%      75%      90%
                  82.31    93.29   106.835  123.495  142.33
-----

```

```

-----
expup_52                                Expenditures per pupil, 1952
-----

```

```

                type:  numeric (double)

```

range:	[0,235.06]	units:	.01		
unique values:	298	missing .:	10/320		
mean:	120.364				
std. dev:	32.0839				
percentiles:	10%	25%	50%	75%	90%
	94.235	105.02	118.02	136.24	154.105

expup_53	Expenditures per pupil, 1953
----------	------------------------------

type:	numeric (double)				
range:	[0,225.31]	units:	.01		
unique values:	288	missing .:	19/320		
mean:	125.828				
std. dev:	32.1819				
percentiles:	10%	25%	50%	75%	90%
	99.77	110.42	124.14	141.88	159.09

tforcel_45	Size of teaching force 1, 1945
------------	--------------------------------

type:	numeric (double)				
range:	[0,1545.5]	units:	.01		
unique values:	90	missing .:	26/320		
mean:	23.8636				
std. dev:	96.3705				
percentiles:	10%	25%	50%	75%	90%
	3	4	7	14	40

tforcel_46	Size of teaching force 1, 1946
------------	--------------------------------

type:	numeric (double)				
range:	[0,1465]	units:	.01		
unique values:	96	missing .:	7/320		
mean:	21.6555				
std. dev:	88.3974				
percentiles:	10%	25%	50%	75%	90%
	3	4	7	13	33.25

tforcel_47	Size of teaching force 1, 1947
------------	--------------------------------

type:	numeric (double)		
range:	[0,1468]	units:	.01
unique values:	97	missing .:	6/320

```

        mean: 21.7714
        std. dev: 88.3936

percentiles:      10%      25%      50%      75%      90%
                  3        4        7       13       32

```

```

-----
tforcel_48                                     Size of teaching force 1, 1948
-----

```

```

        type: numeric (double)

        range: [0,1497.5]          units: .01
unique values: 100                missing .: 11/320

        mean: 22.1115
        std. dev: 90.6416

percentiles:      10%      25%      50%      75%      90%
                  3        4        7     13.45     35

```

```

-----
tforcel_49                                     Size of teaching force 1, 1949
-----

```

```

        type: numeric (double)

        range: [0,1538]          units: .01
unique values: 101                missing .: 8/320

        mean: 23.5931
        std. dev: 92.8682

percentiles:      10%      25%      50%      75%      90%
                  3        4.25     8     15.64     35.25

```

```

-----
tforcel_50                                     Size of teaching force 1, 1950
-----

```

```

        type: numeric (double)

        range: [0,1545.5]        units: .01
unique values: 94                missing .: 77/320

        mean: 23.8319
        std. dev: 103.747

percentiles:      10%      25%      50%      75%      90%
                  3        5        9       15     32.8

```

```

-----
tforcel_51                                     Size of teaching force 1, 1951
-----

```

```

        type: numeric (double)

        range: [0,1616.5]        units: .01
unique values: 196                missing .: 44/320

        mean: 25.2422
        std. dev: 102.686

```

percentiles:	10%	25%	50%	75%	90%
	3.4	5.625	9.215	17.575	34.63

tforce1_52	Size of teaching force 1, 1952
------------	--------------------------------

type:	numeric (double)				
range:	[0,1692]	units:	.01		
unique values:	205	missing .:	10/320		
mean:	27.3286				
std. dev:	102.38				
percentiles:	10%	25%	50%	75%	90%
	3.805	6	10	20	40.945

tforce1_53	Size of teaching force 1, 1953
------------	--------------------------------

type:	numeric (double)				
range:	[0,1856]	units:	.01		
unique values:	213	missing .:	19/320		
mean:	29.4067				
std. dev:	113.448				
percentiles:	10%	25%	50%	75%	90%
	4	6.25	10.45	20.3	45.95

tforce2_45	Size of teaching force 2, 1945
------------	--------------------------------

type:	numeric (double)				
range:	[0,1553]	units:	.01		
unique values:	73	missing .:	26/320		
mean:	23.3885				
std. dev:	96.7486				
percentiles:	10%	25%	50%	75%	90%
	3	4	7	13	38

tforce2_46	Size of teaching force 2, 1946
------------	--------------------------------

type:	numeric (double)				
range:	[0,1532.5]	units:	.01		
unique values:	72	missing .:	7/320		
mean:	22.2284				
std. dev:	92.9846				
percentiles:	10%	25%	50%	75%	90%
	3	4	6	12	31

tforce2_47	Size of teaching force 2, 1947
------------	--------------------------------

```

      type:  numeric (double)
      range:  [0,1541]
unique values: 74
      units:  .01
      missing.: 6/320

      mean:    22.4065
      std. dev: 93.2685

percentiles:      10%      25%      50%      75%      90%
                  3        4        7        12      32.5

```

tforce2_48	Size of teaching force 2, 1948
------------	--------------------------------

```

      type:  numeric (double)
      range:  [0,1567]
unique values: 80
      units:  .01
      missing.: 11/320

      mean:    22.6049
      std. dev: 95.3035

percentiles:      10%      25%      50%      75%      90%
                  3        4        7        12        31

```

tforce2	49	Size of teaching force 2, 1949
---------	----	--------------------------------

```

      type:    numeric (double)

      range:   [0,1620]
unique values: 78
      units:   .01
missing .:    8/320

      mean:    24.1938
      std. dev: 98.2909

percentiles:      10%      25%      50%      75%      90%
                  3        4        8      14.875      35

```

tforce2	50	Size of teaching force 2, 1950
---------	----	--------------------------------

```

      type:    numeric (double)

      range:   [0,1516]
unique values: 71
      units:   .01
missing .:    77/320

      mean:    23.0644
      std. dev: 102.097

percentiles:      10%      25%      50%      75%      90%
                  3       4.62      8       14       30

```

tforce2_51	Size of teaching force 2, 1951
------------	--------------------------------

```

-----
                type:  numeric (double)

                range:  [0,1534]                units:  .01
unique values:  79                                missing .:  44/320

                mean:   24.1429
                std. dev: 98.1391

percentiles:           10%           25%           50%           75%           90%
                        3             5             9            15.75          32.5

```

```

-----
tforce2_52                                Size of teaching force 2, 1952
-----

```

```

                type:  numeric (double)

                range:  [0,1614]                units:  .01
unique values:  95                                missing .:  10/320

                mean:   26.2019
                std. dev: 98.3593

percentiles:           10%           25%           50%           75%           90%
                        3             6            10            18            38

```

```

-----
tforce2_53                                Size of teaching force 2, 1953
-----

```

```

                type:  numeric (double)

                range:  [0,1746.5]              units:  .01
unique values:  91                                missing .:  19/320

                mean:   28.1928
                std. dev: 107.707

percentiles:           10%           25%           50%           75%           90%
                        4             6            10            18            43

```

```

-----
tsall1_45                                Average teacher salary 1, 1945
-----

```

```

                type:  numeric (double)

                range:  [0,2358.37]             units:  .01
unique values:  281                                missing .:  26/320

                mean:   1372.8
                std. dev: 335.21

percentiles:           10%           25%           50%           75%           90%
                        1170          1271.81        1387.71        1499          1674.99

```

```

-----
tsall1_46                                Average teacher salary 1, 1946
-----

```

```

                type:  numeric (double)

```



```

        range: [0,2487.99]          units: .01
unique values: 300                missing .: 7/320

        mean: 1516.91
        std. dev: 376.124

percentiles:      10%      25%      50%      75%      90%
                  1240.19  1395.7  1535.25  1694.28  1851.62

```

```

-----
tsall_47                                     Average teacher salary 1, 1947
-----

```

```

        type: numeric (double)

        range: [0,2999.36]          units: .01
unique values: 302                missing .: 6/320

        mean: 1728.05
        std. dev: 474.65

percentiles:      10%      25%      50%      75%      90%
                  1362.05  1573.51  1751.8  1964.16  2160.45

```

```

-----
tsall_48                                     Average teacher salary 1, 1948
-----

```

```

        type: numeric (double)

        range: [0,3444.18]          units: .01
unique values: 296                missing .: 11/320

        mean: 1937.85
        std. dev: 555.902

percentiles:      10%      25%      50%      75%      90%
                  1534.09  1736.5  1980.5  2214.26  2468.26

```

```

-----
tsall_49                                     Average teacher salary 1, 1949
-----

```

```

        type: numeric (double)

        range: [0,5941]             units: .01
unique values: 299                missing .: 8/320

        mean: 2143.32
        std. dev: 627.357

percentiles:      10%      25%      50%      75%      90%
                  1766.31  1942.74  2161.32  2411.13  2704.03

```

```

-----
tsall_50                                     Average teacher salary 1, 1950
-----

```

```

        type: numeric (double)

        range: [0,3657.75]          units: .01
unique values: 235                missing .: 77/320

```

```
      mean: 2223.16
    std. dev: 593.675

percentiles:      10%      25%      50%      75%      90%
                  1770.01  1999.75  2228.21  2526.29  2848.53
```

```
-----
tsall_51                                     Average teacher salary 1, 1951
-----
```

```
      type: numeric (double)

      range: [0,3881.52]          units: .01
unique values: 269                missing .: 44/320

      mean: 2324.33
    std. dev: 593.824

percentiles:      10%      25%      50%      75%      90%
                  1808.47  2079.93  2346.44  2640.04  2969.16
```

```
-----
tsall_52                                     Average teacher salary 1, 1952
-----
```

```
      type: numeric (double)

      range: [0,4575.68]          units: .01
unique values: 302                missing .: 10/320

      mean: 2558.62
    std. dev: 658.381

percentiles:      10%      25%      50%      75%      90%
                  1996.27  2277.62  2547.02  2860.46  3297.63
```

```
-----
tsall_53                                     Average teacher salary 1, 1953
-----
```

```
      type: numeric (double)

      range: [0,5189.87]          units: .01
unique values: 294                missing .: 19/320

      mean: 2771.42
    std. dev: 725.729

percentiles:      10%      25%      50%      75%      90%
                  2221.76  2476.78  2735.41  3019.23  3648.85
```

```
-----
tsal2_45                                     Average teacher salary 2, 1945
-----
```

```
      type: numeric (double)

      range: [0,2884.46]          units: .01
unique values: 282                missing .: 26/320

      mean: 1419.67
    std. dev: 369.991
```

percentiles:	10%	25%	50%	75%	90%
	1189.8	1304.14	1423.44	1560.11	1733.33

tsal2_46
Average teacher salary 2, 1946

type: numeric (double)

range: [0,2787.03] units: .01
unique values: 299 missing .: 7/320

mean: 1554.82
std. dev: 400.272

percentiles:	10%	25%	50%	75%	90%
	1260.13	1423.74	1574.12	1724.11	1948.53

tsal2_47
Average teacher salary 2, 1947

type: numeric (double)

range: [0,3123.32] units: .01
unique values: 301 missing .: 6/320

mean: 1772.79
std. dev: 498.471

percentiles:	10%	25%	50%	75%	90%
	1409.04	1595.6	1779.26	1999.42	2270

tsal2_48
Average teacher salary 2, 1948

type: numeric (double)

range: [0,3622.33] units: .01
unique values: 295 missing .: 11/320

mean: 2007.85
std. dev: 583.206

percentiles:	10%	25%	50%	75%	90%
	1588.13	1813.65	2041.25	2277.23	2602.27

tsal2_49
Average teacher salary 2, 1949

type: numeric (double)

range: [0,6601.11] units: .01
unique values: 297 missing .: 8/320

mean: 2219.35
std. dev: 666.442

percentiles:	10%	25%	50%	75%	90%
	1809	1993.36	2210.61	2510.32	2787


```

-----
                type:  numeric (double)

                range:  [0,42.29]                units:  .01
unique values:  221                                missing .:  26/320

                mean:   27.1867
                std. dev: 6.35615

percentiles:      10%      25%      50%      75%      90%
                  21.56    24.5    27.545   30.67   33.5
-----

```

```

-----
ptratl_46                                Pupil-teacher ratio 1, 1946
-----

```

```

                type:  numeric (double)

                range:  [0,41.5]                units:  .01
unique values:  229                                missing .:  7/320

                mean:   27.6984
                std. dev: 6.78708

percentiles:      10%      25%      50%      75%      90%
                  22       25      28.4     31.4     34.5
-----

```

```

-----
ptratl_47                                Pupil-teacher ratio 1, 1947
-----

```

```

                type:  numeric (double)

                range:  [0,55]                 units:  .01
unique values:  227                                missing .:  6/320

                mean:   27.7389
                std. dev: 6.86406

percentiles:      10%      25%      50%      75%      90%
                  22.12    25.34     28      31.46     34
-----

```

```

-----
ptratl_48                                Pupil-teacher ratio 1, 1948
-----

```

```

                type:  numeric (double)

                range:  [0,40.67]                units:  .01
unique values:  234                                missing .:  11/320

                mean:   27.5902
                std. dev: 7.0441

percentiles:      10%      25%      50%      75%      90%
                  22.5     25.64    28.16    31.1     34.08
-----

```

```

-----
ptratl_49                                Pupil-teacher ratio 1, 1949
-----

```

```

                type:  numeric (double)

```

range:	[0,45.25]	units:	.01
unique values:	242	missing .:	8/320
mean:	26.8283		
std. dev:	6.95386		

percentiles:	10%	25%	50%	75%	90%
	22.07	24.765	27.605	30.175	33.2

ptrat1_50	Pupil-teacher ratio 1, 1950
-----------	-----------------------------

type: numeric (double)

range:	[0,39.05]	units:	.01
unique values:	195	missing .:	77/320

mean:	25.9584
std. dev:	6.26702

percentiles:	10%	25%	50%	75%	90%
	21.07	23.78	26.5	29	32.27

ptrat1_51	Pupil-teacher ratio 1, 1951
-----------	-----------------------------

type: numeric (double)

range:	[0,40.94]	units:	.01
unique values:	243	missing .:	44/320

mean:	25.2234
std. dev:	5.53425

percentiles:	10%	25%	50%	75%	90%
	20.33	23.44	25.84	27.93	30.26

ptrat1_52	Pupil-teacher ratio 1, 1952
-----------	-----------------------------

type: numeric (double)

range:	[0,35.67]	units:	.01
unique values:	262	missing .:	10/320

mean:	24.7162
std. dev:	5.13796

percentiles:	10%	25%	50%	75%	90%
	20.765	23.04	25.33	27.54	29.195

ptrat1_53	Pupil-teacher ratio 1, 1953
-----------	-----------------------------

type: numeric (double)

range:	[0,45.28]	units:	.01
unique values:	261	missing .:	19/320

```

        mean: 25.4108
      std. dev: 5.53952

percentiles:      10%      25%      50%      75%      90%
                  20.95    23.21    25.92    28.29    30.94

```

```

-----
ptrat2_45                                     Pupil-teacher ratio 2, 1945
-----

```

```

        type: numeric (double)

        range: [0,49.13]          units: .01
unique values: 222                missing .: 26/320

        mean: 28.1117
      std. dev: 6.7486

percentiles:      10%      25%      50%      75%      90%
                  22.19    25.5    28.21    32      34.89

```

```

-----
ptrat2_46                                     Pupil-teacher ratio 2, 1946
-----

```

```

        type: numeric (double)

        range: [0,44.82]          units: .01
unique values: 233                missing .: 7/320

        mean: 28.3593
      std. dev: 7.06675

percentiles:      10%      25%      50%      75%      90%
                  22      25.5    29      32.33    35.8

```

```

-----
ptrat2_47                                     Pupil-teacher ratio 2, 1947
-----

```

```

        type: numeric (double)

        range: [0,47.14]          units: .01
unique values: 230                missing .: 6/320

        mean: 28.4671
      std. dev: 7.20686

percentiles:      10%      25%      50%      75%      90%
                  22.64    25.66    28.9    32.6    35.78

```

```

-----
ptrat2_48                                     Pupil-teacher ratio 2, 1948
-----

```

```

        type: numeric (double)

        range: [0,45.33]          units: .01
unique values: 222                missing .: 11/320

        mean: 28.5054
      std. dev: 7.62403

```

percentiles:	10%	25%	50%	75%	90%
	23	26	29.38	33	35.86

ptrat2_49 Pupil-teacher ratio 2, 1949

```

type: numeric (double)

range: [0,45.25]          units: .01
unique values: 245        missing .: 8/320

mean: 27.8062
std. dev: 7.42591

percentiles:      10%      25%      50%      75%      90%
                  22.5    25.125    28.635    32       34.83

```

ptrat2_50 Pupil-teacher ratio 2, 1950

```

type: numeric (double)

range: [0,51.25]          units: .01
unique values: 195        missing .: 77/320

mean: 27.574
std. dev: 6.94381

percentiles:      10%      25%      50%      75%      90%
                  22      25.14    28.4      31      34.17

```

ptrat2_51 Pupil-teacher ratio 2, 1951

```

type: numeric (double)

range: [0,41.73]          units: .01
unique values: 213        missing .: 44/320

mean: 27.1124
std. dev: 5.97891

percentiles:      10%      25%      50%      75%      90%
                  21.7    25.085    27.55    30.39    32.97

```

ptrat2_52 Pupil-teacher ratio 2, 1952

```

type: numeric (double)

range: [0,39.7]           units: .01
unique values: 239        missing .: 10/320

mean: 26.5815
std. dev: 5.70186

percentiles:      10%      25%      50%      75%      90%
                  22.095    24.46    27.14    29.5     32.185

```

ptrat2_53 Pupil-teacher ratio 2, 1953

type: numeric (double)
range: [0,40.89] units: .01
unique values: 229 missing ..: 19/320
mean: 27.2152
std. dev: 5.86482
percentiles: 10% 25% 50% 75% 90%
22.4 25.05 27.67 30.2 32.74

tdi0_45 Taught in district for < 1 year, 1945

type: numeric (double)
range: [0,59.5] units: .01
unique values: 14 missing ..: 26/320
mean: .731122
std. dev: 3.68889
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 1.5

tdi0_46 Taught in district for < 1 year, 1946

type: numeric (double)
range: [0,47] units: .01
unique values: 15 missing ..: 7/320
mean: .829968
std. dev: 2.91707
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

tdi0_47 Taught in district for < 1 year, 1947

type: numeric (double)
range: [0,69.5] units: .01
unique values: 15 missing ..: 6/320
mean: .698025
std. dev: 4.02172
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 1.5

tdi0_48 Taught in district for < 1 year, 1948

```

-----
                type:  numeric (double)

                range:  [0,97.5]                units:  .01
unique values:  12                missing ..:  11/320

                mean:   .749773
                std. dev: 5.61203

percentiles:           10%           25%           50%           75%           90%
                      0             0             0             1             1

```

```

-----
tdi0_49                Taught in district for < 1 year, 1949
-----

```

```

                type:  numeric (double)

                range:  [0,83]                units:  .01
unique values:  14                missing ..:  8/320

                mean:   .754712
                std. dev: 4.89074

percentiles:           10%           25%           50%           75%           90%
                      0             0             0             1             1

```

```

-----
tdi0_50                Taught in district for < 1 year, 1950
-----

```

```

                type:  numeric (double)

                range:  [0,71]                units:  .01
unique values:  12                missing ..:  77/320

                mean:   .604733
                std. dev: 4.59158

percentiles:           10%           25%           50%           75%           90%
                      0             0             0             0             1

```

```

-----
tdi0_51                Taught in district for < 1 year, 1951
-----

```

```

                type:  numeric (double)

                range:  [0,78.5]            units:  .01
unique values:  12                missing ..:  44/320

                mean:   .684855
                std. dev: 4.79318

percentiles:           10%           25%           50%           75%           90%
                      0             0             0             .5             1

```

```

-----
tdi0_52                Taught in district for < 1 year, 1952
-----

```

```

                type:  numeric (double)

```

range: [0,127.5] units: .01
unique values: 16 missing .. 10/320

mean: .755935
std. dev: 7.2845

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tdi0_53 Taught in district for < 1 year, 1953

type: numeric (double)

range: [0,139.5] units: .01
unique values: 17 missing .. 19/320

mean: .927508
std. dev: 8.08847

percentiles:	10%	25%	50%	75%	90%
	0	0	0	.5	1

tdi1_45 Taught in district for 1 year, 1945

type: numeric (double)

range: [0,58] units: .01
unique values: 37 missing .. 26/320

mean: 3.66367
std. dev: 6.21376

percentiles:	10%	25%	50%	75%	90%
	0	1	2	4	8

tdi1_46 Taught in district for 1 year, 1946

type: numeric (double)

range: [0,53] units: .01
unique values: 33 missing .. 7/320

mean: 3.503
std. dev: 6.04841

percentiles:	10%	25%	50%	75%	90%
	0	1	2	3	8

tdi1_47 Taught in district for 1 year, 1947

type: numeric (double)

range: [0,59] units: .01
unique values: 35 missing .. 6/320

```

        mean: 3.90178
        std. dev: 6.70248

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        4        8.5

```

```

-----
tdi1_48                                     Taught in district for 1 year, 1948
-----

```

```

        type: numeric (double)

        range: [0,71.5]          units: .01
unique values: 33                missing .: 11/320

        mean: 3.44939
        std. dev: 6.48376

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        4        7

```

```

-----
tdi1_49                                     Taught in district for 1 year, 1949
-----

```

```

        type: numeric (double)

        range: [0,88.5]          units: .01
unique values: 37                missing .: 8/320

        mean: 3.87997
        std. dev: 7.2249

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        4        9

```

```

-----
tdi1_50                                     Taught in district for 1 year, 1950
-----

```

```

        type: numeric (double)

        range: [0,94.5]          units: .01
unique values: 35                missing .: 77/320

        mean: 3.57267
        std. dev: 7.80887

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        3.5      6

```

```

-----
tdi1_51                                     Taught in district for 1 year, 1951
-----

```

```

        type: numeric (double)

        range: [0,114]           units: .01
unique values: 39                missing .: 44/320

        mean: 3.9333
        std. dev: 8.54204

```

percentiles:	10%	25%	50%	75%	90%
	0	1	2	4	8

tdi1_52 Taught in district for 1 year, 1952

type: numeric (double)

range:	[0,138]	units:	.01
unique values:	46	missing .:	10/320
mean:	4.45155		
std. dev:	9.94456		

percentiles:	10%	25%	50%	75%	90%
	0	1	2	5	8

tdi1_53 Taught in district for 1 year, 1953

type: numeric (double)

range:	[0,152.5]	units:	.01
unique values:	45	missing .:	19/320
mean:	4.8092		
std. dev:	11.3829		

percentiles:	10%	25%	50%	75%	90%
	0	1	2	5	9

tdi2_45 Taught in district for 2 years,1945

type: numeric (double)

range:	[0,35]	units:	.01
unique values:	26	missing .:	26/320
mean:	3.10361		
std. dev:	4.75716		

percentiles:	10%	25%	50%	75%	90%
	0	1	2	3	7

tdi2_46 Taught in district for 2 years, 1946

type: numeric (double)

range:	[0,81.5]	units:	.01
unique values:	28	missing .:	7/320
mean:	2.68712		
std. dev:	6.01252		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	3	5

tdi2_47 Taught in district for 2 years, 1947

type: numeric (double)
range: [0,51.5] units: .01
unique values: 25 missing .. 6/320
mean: 2.43271
std. dev: 4.681
percentiles: 10% 25% 50% 75% 90%
0 0 1 3 5

tdi2_48 Taught in district for 2 years, 1948

type: numeric (double)
range: [0,87] units: .01
unique values: 35 missing .. 11/320
mean: 2.92887
std. dev: 6.39126
percentiles: 10% 25% 50% 75% 90%
0 1 1.4 3 6

tdi2_49 Taught in district for 2 years, 1949

type: numeric (double)
range: [0,102.5] units: .01
unique values: 29 missing .. 8/320
mean: 2.84776
std. dev: 7.01503
percentiles: 10% 25% 50% 75% 90%
0 0 1 3 5

tdi2_50 Taught in district for 2 years, 1950

type: numeric (double)
range: [0,115] units: .01
unique values: 31 missing .. 77/320
mean: 3.01436
std. dev: 8.35321
percentiles: 10% 25% 50% 75% 90%
0 0 1 3 6

tdi2_51 Taught in district for 2 years, 1951

```

-----
                type:  numeric (double)

                range:  [0,98]                units:  .01
unique values:  31                missing .:  44/320

                mean:   2.94417
                std. dev: 7.08556

percentiles:           10%           25%           50%           75%           90%
                      0             0             1             3             6

```

```

-----
tdi2_52                Taught in district for 2 years, 1952
-----

```

```

                type:  numeric (double)

                range:  [0,104.5]            units:  .01
unique values:  35                missing .:  10/320

                mean:   3.17874
                std. dev: 7.14173

percentiles:           10%           25%           50%           75%           90%
                      0             1             2             3             7

```

```

-----
tdi2_53                Taught in district for 2 years, 1953
-----

```

```

                type:  numeric (double)

                range:  [0,127]            units:  .01
unique values:  43                missing .:  19/320

                mean:   3.41734
                std. dev: 8.6411

percentiles:           10%           25%           50%           75%           90%
                      0             1             2             3.2           6

```

```

-----
tdi3_45                Taught in district for 3 years, 1945
-----

```

```

                type:  numeric (double)

                range:  [0,35]            units:  .01
unique values:  19                missing .:  26/320

                mean:   1.45344
                std. dev: 3.03374

percentiles:           10%           25%           50%           75%           90%
                      0             0             1             2             4

```

```

-----
tdi3_46                Taught in district for 3 years, 1946
-----

```

```

                type:  numeric (double)

```

range: [0,37.5] units: .01
unique values: 26 missing .: 7/320

mean: 1.77479
std. dev: 3.49767

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

tdi3_47 Taught in district for 3 years, 1947

type: numeric (double)

range: [0,74] units: .01
unique values: 23 missing .: 6/320

mean: 1.85252
std. dev: 4.90596

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tdi3_48 Taught in district for 3 years, 1948

type: numeric (double)

range: [0,42] units: .01
unique values: 25 missing .: 11/320

mean: 1.67307
std. dev: 3.58255

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

tdi3_49 Taught in district for 3 years, 1949

type: numeric (double)

range: [0,72] units: .01
unique values: 26 missing .: 8/320

mean: 2.14122
std. dev: 5.25511

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	5

tdi3_50 Taught in district for 3 years, 1950

type: numeric (double)

range: [0,80.5] units: .01
unique values: 25 missing .: 77/320

mean: 1.86107
std. dev: 5.66418

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tdi3_51 Taught in district for 3 years, 1951

type: numeric (double)

range:	[0,104]	units:	.01
unique values:	28	missing .:	44/320
mean:	2.2471		
std. dev:	6.79672		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

tdi3_52 Taught in district for 3 years, 1952

type: numeric (double)

range:	[0,73.5]	units:	.01
unique values:	29	missing .:	10/320
mean:	2.00797		
std. dev:	5.02266		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	5

tdi3_53 Taught in district for 3 years, 1953

type: numeric (double)

range:	[0,105]	units:	.01
unique values:	32	missing .:	19/320
mean:	2.36495		
std. dev:	6.89272		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

tdi4_45 Taught in district for 4 years, 1945

type: numeric (double)

range:	[0,24]	units:	.01
unique values:	15	missing .:	26/320
mean:	.681122		
std. dev:	1.96072		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tdi4_46 Taught in district for 4 years, 1946

type: numeric (double)

range: [0,29] units: .01
unique values: 16 missing : 7/320

mean: .926358
std. dev: 2.2753

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2.6

tdi4_47 Taught in district for 4 years, 1947

type: numeric (double)

range: [0,29.5] units: .01
unique values: 20 missing : 6/320

mean: 1.24067
std. dev: 2.6687

percentiles:	10%	25%	50%	75%	90%
	0	0	0	2	3

tdi4_48 Taught in district for 4 years, 1948

type: numeric (double)

range: [0,49.5] units: .01
unique values: 22 missing : 11/320

mean: 1.34184
std. dev: 3.61322

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tdi4_49 Taught in district for 4 years, 1949

type: numeric (double)

range: [0,43.5] units: .1
unique values: 17 missing : 8/320

mean: 1.38462
std. dev: 3.3967

percentiles:	10%	25%	50%	75%	90%
	0	0	.5	1.1	3

tdi4_50 Taught in district for 4 years, 1950

type: numeric (double)
range: [0,60] units: .01
unique values: 22 missing ..: 77/320
mean: 1.58148
std. dev: 4.48387
percentiles: 10% 25% 50% 75% 90%
0 0 1 2 3

tdi4_51 Taught in district for 4 years, 1951

type: numeric (double)
range: [0,55.5] units: .01
unique values: 24 missing ..: 44/320
mean: 1.51322
std. dev: 3.97719
percentiles: 10% 25% 50% 75% 90%
0 0 1 2 3

tdi4_52 Taught in district for 4 years, 1952

type: numeric (double)
range: [0,91.5] units: .01
unique values: 26 missing ..: 10/320
mean: 1.92955
std. dev: 5.69669
percentiles: 10% 25% 50% 75% 90%
0 0 1 2 4

tdi4_53 Taught in district for 4 years, 1953

type: numeric (double)
range: [0,58.5] units: .01
unique values: 22 missing ..: 19/320
mean: 1.56518
std. dev: 4.00711
percentiles: 10% 25% 50% 75% 90%
0 0 1 2 3

tdi5_45 Taught in district for 5 years, 1945

```

-----
                type:  numeric (double)

                range:  [0,20]                units:  .01
unique values:  13                missing .:  26/320

                mean:   .503571
                std. dev: 1.86201

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

-----
tdi5_46                Taught in district for 5 years, 1946
-----

```

```

                type:  numeric (double)

                range:  [0,19]                units:  .1
unique values:  12                missing .:  7/320

                mean:   .450479
                std. dev: 1.60226

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

-----
tdi5_47                Taught in district for 5 years, 1947
-----

```

```

                type:  numeric (double)

                range:  [0,21.5]              units:  .1
unique values:  15                missing .:  6/320

                mean:   .703185
                std. dev: 1.87197

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2

```

```

-----
tdi5_48                Taught in district for 5 years, 1948
-----

```

```

                type:  numeric (double)

                range:  [0,32]                units:  .1
unique values:  17                missing .:  11/320

                mean:   .912945
                std. dev: 2.40279

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2

```

```

-----
tdi5_49                Taught in district for 5 years, 1949
-----

```

```

                type:  numeric (double)

```

range: [0,43] units: .1
unique values: 17 missing .: 8/320

mean: 1.11571
std. dev: 3.07475

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tdi5_50 Taught in district for 5 years, 1950

type: numeric (double)

range: [0,20.5] units: .01
unique values: 17 missing .: 77/320

mean: 1.03753
std. dev: 2.33246

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tdi5_51 Taught in district for 5 years, 1951

type: numeric (double)

range: [0,32.5] units: .01
unique values: 20 missing .: 44/320

mean: 1.15428
std. dev: 2.7321

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tdi5_52 Taught in district for 5 years, 1952

type: numeric (double)

range: [0,39.5] units: .01
unique values: 22 missing .: 10/320

mean: 1.18394
std. dev: 2.89489

percentiles:	10%	25%	50%	75%	90%
	0	0	.425	1	3

tdi5_53 Taught in district for 5 years, 1953

type: numeric (double)

range: [0,67] units: .01
unique values: 25 missing .: 19/320

```

        mean: 1.50488
        std. dev: 4.34476

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        2      3.25

```

```

-----
tdi5p_45                                Taught in district for > 5 years, 1945
-----

```

```

        type: numeric (double)

        range: [0,1321.5]          units: .01
unique values: 55                  missing .: 26/320

        mean: 13.3234
        std. dev: 80.402

percentiles:      10%      25%      50%      75%      90%
                  0        0        2        5      20

```

```

-----
tdi5p_46                                Taught in district for > 5 years, 1946
-----

```

```

        type: numeric (double)

        range: [0,1265.5]          units: .01
unique values: 53                  missing .: 7/320

        mean: 12.0567
        std. dev: 74.831

percentiles:      10%      25%      50%      75%      90%
                  0        0        1      4.5      14

```

```

-----
tdi5p_47                                Taught in district for > 5 years, 1947
-----

```

```

        type: numeric (double)

        range: [0,1236]           units: .01
unique values: 49                  missing .: 6/320

        mean: 11.5649
        std. dev: 72.8435

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        4      15

```

```

-----
tdi5p_48                                Taught in district for > 5 years, 1948
-----

```

```

        type: numeric (double)

        range: [0,1187.5]          units: .01
unique values: 51                  missing .: 11/320

        mean: 11.549
        std. dev: 70.7792

```

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5	13

tdi5p_49	Taught in district for > 5 years, 1949
----------	--

```

type: numeric (double)

range: [0,1187.5]          units: .01
unique values: 52          missing .: 8/320

mean: 12.0695
std. dev: 70.6498

percentiles:      10%      25%      50%      75%      90%
                  0        0        2        5        16

```

tdi5p_50	Taught in district for > 5 years, 1950
----------	--

```

type: numeric (double)

range: [0,1074.5]          units: .01
unique values: 40          missing .: 77/320

mean: 11.3967
std. dev: 71.4426

percentiles:      10%      25%      50%      75%      90%
                  0        0        2        4        13

```

tdi5p_51	Taught in district for > 5 years, 1951
----------	--

```

type: numeric (double)

range: [0,1051.5]          units: .01
unique values: 46          missing .: 44/320

mean: 11.6841
std. dev: 66.4668

percentiles:      10%      25%      50%      75%      90%
                  0        1        2      5.865      15

```

tdi5p_52	Taught in district for > 5 years, 1952
----------	--

```

type: numeric (double)

range: [0,1039.5]          units: .01
unique values: 58          missing .: 10/320

mean: 12.7023
std. dev: 62.8217

percentiles:      10%      25%      50%      75%      90%
                  0        1        3        7      18.5

```

tdi5p_53 Taught in district for > 5 years, 1953

type: numeric (double)

range:	[0,1097]	units:	.01		
unique values:	58	missing .:	19/320		
mean:	13.6038				
std. dev:	66.8417				
percentiles:	10%	25%	50%	75%	90%
	0	1	3	7	21

tex0_45 < 1 year of teaching experience, 1945

type: numeric (double)

range:	[0,34]	units:	.01
unique values:	8	missing .:	26/320
tabulation:	Freq.	Value	
	266	0	
	1	.5	
	1	.75	
	20	1	
	3	2	
	1	2.2	
	1	3	
	1	34	
	26	.	

tex0_46 < 1 year of teaching experience, 1946

type: numeric (double)

range:	[0,26]	units:	.1
unique values:	6	missing .:	7/320
tabulation:	Freq.	Value	
	281	0	
	2	.5	
	22	1	
	6	2	
	1	4	
	1	26	
	7	.	

tex0_47 < 1 year of teaching experience, 1947

type: numeric (double)

range:	[0,20]	units:	.01
unique values:	10	missing .:	6/320


```

      mean:      .18242
    std. dev:    1.18135

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

-----
tex0_48                                     < 1 year of teaching experience, 1948
-----

```

```

      type:  numeric (double)

      range:  [0,43]                units:  .1
unique values: 7                  missing .: 11/320

      tabulation:  Freq.  Value
                   279    0
                   1     .2
                   24    1
                   1    1.7
                   2     2
                   1     3
                   1    43
                   11    .

```

```

-----
tex0_49                                     < 1 year of teaching experience, 1949
-----

```

```

      type:  numeric (double)

      range:  [0,45]                units:  .01
unique values: 15                  missing .: 8/320

      mean:      .350545
    std. dev:    2.7238

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

-----
tex0_50                                     < 1 year of teaching experience, 1950
-----

```

```

      type:  numeric (double)

      range:  [0,51.5]              units:  .1
unique values: 7                  missing .: 77/320

      tabulation:  Freq.  Value
                   214    0
                   1     .2
                   2     .5
                   21    1
                   3     2
                   1     3
                   1    51.5
                   77    .

```

```

-----
tex0_51                                     < 1 year of teaching experience, 1951
-----

```

```

type: numeric (double)

range: [0,56] units: .01
unique values: 9 missing .: 44/320

```

```

tabulation: Freq. Value
             234  0
              2  .5
              1  .67
             30  1
              1  1.5
              4  2
              2  3
              1  4
              1  56
             44  .

```

```

-----
tex0_52                                     < 1 year of teaching experience, 1952
-----

```

```

type: numeric (double)

range: [0,97.5] units: .01
unique values: 9 missing .: 10/320

```

```

tabulation: Freq. Value
             275  0
              1  .2
              1  .4
              1  .5
             20  1
              8  2
              2  3
              1  3.07
              1  97.5
             10  .

```

```

-----
tex0_53                                     < 1 year of teaching experience, 1953
-----

```

```

type: numeric (double)

range: [0,90.5] units: .1
unique values: 10 missing .: 19/320

```

```

mean: .484385
std. dev: 5.25649

```

```

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

-----
tex1_45                                     1 year of teaching experience, 1945
-----

```

```

type: numeric (double)

range: [0,25] units: .01
unique values: 17 missing .: 26/320

```

```

mean: .853946

```

std. dev: 2.25455

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex1_46 1 year of teaching experience, 1946

type: numeric (double)

range:	[0,19]	units:	.1
unique values:	17	missing .:	7/320
mean:	.807987		
std. dev:	2.02751		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex1_47 1 year of teaching experience, 1947

type: numeric (double)

range:	[0,22]	units:	.1
unique values:	15	missing .:	6/320
mean:	.888217		
std. dev:	2.2437		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tex1_48 1 year of teaching experience, 1948

type: numeric (double)

range:	[0,29]	units:	.01
unique values:	21	missing .:	11/320
mean:	.931359		
std. dev:	2.70949		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex1_49 1 year of teaching experience, 1949

type: numeric (double)

range:	[0,65]	units:	.01
unique values:	21	missing .:	8/320
mean:	1.26311		
std. dev:	4.41492		

percentiles:	10%	25%	50%	75%	90%
--------------	-----	-----	-----	-----	-----

	0	0	0	1	3
--	---	---	---	---	---

tex1_50 1 year of teaching experience, 1950

type: numeric (double)

range: [0,66] units: .01
unique values: 25 missing .: 77/320

mean: 1.41885
std. dev: 4.96407

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2.92

tex1_51 1 year of teaching experience, 1951

type: numeric (double)

range: [0,88.5] units: .01
unique values: 26 missing .: 44/320

mean: 1.80471
std. dev: 6.02415

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

tex1_52 1 year of teaching experience, 1952

type: numeric (double)

range: [0,102] units: .01
unique values: 35 missing .: 10/320

mean: 2.1481
std. dev: 6.71224

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4.325

tex1_53 1 year of teaching experience, 1953

type: numeric (double)

range: [0,112.5] units: .01
unique values: 31 missing .: 19/320

mean: 2.1097
std. dev: 7.46746

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

tex2_45 2 years of teaching experience, 1945

type: numeric (double)
range: [0,24.5] units: .01
unique values: 19 missing :. 26/320
mean: 1.23126
std. dev: 2.40477
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 3

tex2_46 2 years of teaching experience, 1946

type: numeric (double)
range: [0,37] units: .1
unique values: 16 missing :. 7/320
mean: .955591
std. dev: 2.63385
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

tex2_47 2 years of teaching experience, 1947

type: numeric (double)
range: [0,40] units: .1
unique values: 14 missing :. 6/320
mean: .89172
std. dev: 2.68236
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 3

tex2_48 2 years of teaching experience, 1948

type: numeric (double)
range: [0,46.5] units: .01
unique values: 18 missing :. 11/320
mean: .938932
std. dev: 3.14236
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

tex2_49 2 years of teaching experience, 1949

type: numeric (double)
range: [0,44] units: .01
unique values: 19 missing .: 8/320

mean: 1.05016
std. dev: 3.14861
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 2

tex2_50 2 years of teaching experience, 1950

type: numeric (double)
range: [0,69.5] units: .01
unique values: 20 missing .: 77/320

mean: 1.24498
std. dev: 4.90684
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 3

tex2_51 2 years of teaching experience, 1951

type: numeric (double)
range: [0,82] units: .01
unique values: 24 missing .: 44/320

mean: 1.53866
std. dev: 5.60521
percentiles: 10% 25% 50% 75% 90%
0 0 0 1 3

tex2_52 2 years of teaching experience, 1952

type: numeric (double)
range: [0,100.5] units: .01
unique values: 31 missing .: 10/320

mean: 1.87048
std. dev: 6.32881
percentiles: 10% 25% 50% 75% 90%
0 0 1 2 4

tex2_53 2 years of teaching experience, 1953

type: numeric (double)
range: [0,112.5] units: .01

unique values: 30 missing .: 19/320

mean: 2.15664

std. dev: 7.27455

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	4

tex3_45 3 years of teaching experience, 1945

type: numeric (double)

range: [0,32.5]

units: .01

unique values: 17

missing .: 26/320

mean: 1.0432

std. dev: 2.4218

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tex3_46 3 years of teaching experience, 1946

type: numeric (double)

range: [0,28.5]

units: .01

unique values: 18

missing .: 7/320

mean: 1.01796

std. dev: 2.25132

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex3_47 3 years of teaching experience, 1947

type: numeric (double)

range: [0,36.5]

units: .01

unique values: 12

missing .: 6/320

mean: .917994

std. dev: 2.50619

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex3_48 3 years of teaching experience, 1948

type: numeric (double)

range: [0,42.5]

units: .01

unique values: 19

missing .: 11/320

mean: .832071

std. dev: 2.75534

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex3_49 3 years of teaching experience, 1949

type: numeric (double)

range:	[0,35]	units:	.1
unique values:	16	missing .:	8/320
mean:	.823077		
std. dev:	2.38467		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex3_50 3 years of teaching experience, 1950

type: numeric (double)

range:	[0,59]	units:	.01
unique values:	17	missing .:	77/320
mean:	1.05984		
std. dev:	4.12919		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex3_51 3 years of teaching experience, 1951

type: numeric (double)

range:	[0,61]	units:	.01
unique values:	18	missing .:	44/320
mean:	1.07833		
std. dev:	3.97779		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex3_52 3 years of teaching experience, 1952

type: numeric (double)

range:	[0,55]	units:	.01
unique values:	23	missing .:	10/320
mean:	1.17419		
std. dev:	3.82099		

percentiles:	10%	25%	50%	75%	90%
--------------	-----	-----	-----	-----	-----

tex4_48 4 years of teaching experience, 1948

```
-----
      type:  numeric (double)

      range:  [0,46]                units:  .01
unique values: 17                missing .:  11/320

      mean:   .959806
      std. dev: 3.07209

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
-----
```

tex4_49 4 years of teaching experience, 1949

```
-----
      type:  numeric (double)

      range:  [0,44]                units:  .1
unique values: 15                missing .:  8/320

      mean:   .837179
      std. dev: 2.94155

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
-----
```

tex4_50 4 years of teaching experience, 1950

```
-----
      type:  numeric (double)

      range:  [0,43]                units:  .01
unique values: 14                missing .:  77/320

      mean:   .802757
      std. dev: 2.94803

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
-----
```

tex4_51 4 years of teaching experience, 1951

```
-----
      type:  numeric (double)

      range:  [0,39.5]              units:  .01
unique values: 17                missing .:  44/320

      mean:   .871812
      std. dev: 2.77297

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
-----
```

tex4_52 4 years of teaching experience, 1952

```
type: numeric (double)

range: [0,43] units: .01
unique values: 24 missing .: 10/320

mean: 1.00797
std. dev: 2.92386

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1      2.575
```

```
-----
tex4_53                                4 years of teaching experience, 1953
-----
```

```
type: numeric (double)

range: [0,60] units: .01
unique values: 20 missing .: 19/320

mean: 1.10937
std. dev: 4.04008

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
```

```
-----
tex5_45                                5 years of teaching experience, 1945
-----
```

```
type: numeric (double)

range: [0,23] units: .1
unique values: 14 missing .: 26/320

mean: .807483
std. dev: 2.43976

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
```

```
-----
tex5_46                                5 years of teaching experience, 1946
-----
```

```
type: numeric (double)

range: [0,24] units: .01
unique values: 12 missing .: 7/320

mean: .794728
std. dev: 1.90342

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
```

```
-----
tex5_47                                5 years of teaching experience, 1947
-----
```

```
type: numeric (double)

range: [0,49] units: .01
```

unique values: 15 missing .: 6/320

mean: .917038
std. dev: 3.27873

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex5_48 5 years of teaching experience, 1948

type: numeric (double)

range:	[0,24.5]	units:	.01
unique values:	13	missing .:	11/320

mean: .753819
std. dev: 1.82925

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex5_49 5 years of teaching experience, 1949

type: numeric (double)

range:	[0,26.5]	units:	.1
unique values:	11	missing .:	8/320

mean: .777885
std. dev: 2.03467

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex5_50 5 years of teaching experience, 1950

type: numeric (double)

range:	[0,17.5]	units:	.01
unique values:	11	missing .:	77/320

mean: .614527
std. dev: 1.55527

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex5_51 5 years of teaching experience, 1951

type: numeric (double)

range:	[0,24]	units:	.01
unique values:	13	missing .:	44/320

mean: .66721

std. dev: 1.77816

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex5_52 5 years of teaching experience, 1952

type: numeric (double)

range:	[0,38.5]	units:	.01
unique values:	19	missing .:	10/320
mean:	.818226		
std. dev:	2.59795		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2

tex5_53 5 years of teaching experience, 1953

type: numeric (double)

range:	[0,49.5]	units:	.01
unique values:	24	missing .:	19/320
mean:	1.0705		
std. dev:	3.26078		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tex5p_45 > 5 years of teaching experience, 1945

type: numeric (double)

range:	[0,1395]	units:	.01
unique values:	65	missing .:	26/320
mean:	18.3433		
std. dev:	86.4108		

percentiles:	10%	25%	50%	75%	90%
	1	3	4	9	26

tex5p_46 > 5 years of teaching experience, 1946

type: numeric (double)

range:	[0,1375]	units:	.01
unique values:	65	missing .:	7/320
mean:	17.6085		
std. dev:	83.0694		

percentiles:	10%	25%	50%	75%	90%
--------------	-----	-----	-----	-----	-----

	1	2	4	9	24

tex5p_47	> 5 years of teaching experience, 1947				

```

      type:  numeric (double)

      range:  [0,1376]          units:  .01
unique values: 63              missing .: 6/320

      mean:   17.7136
      std. dev: 82.7715

percentiles:      10%      25%      50%      75%      90%
                  2        3      4.365      9        25

```

tex5p_48	> 5 years of teaching experience, 1948				

```

      type:  numeric (double)

      range:  [0,1335]          units:  .01
unique values: 68              missing .: 11/320

      mean:   17.9346
      std. dev: 81.1002

percentiles:      10%      25%      50%      75%      90%
                  2        3        5        9       26

```

tex5p_49	> 5 years of teaching experience, 1949				

```

      type:  numeric (double)

      range:  [0,1360]          units:  .01
unique values: 71              missing .: 8/320

      mean:   19.09
      std. dev: 82.4491

percentiles:      10%      25%      50%      75%      90%
                  2        3        6       11       28

```

tex5p_50	> 5 years of teaching experience, 1950				

```

      type:  numeric (double)

      range:  [0,1209.5]        units:  .01
unique values: 58              missing .: 77/320

      mean:   17.5831
      std. dev: 81.5393

percentiles:      10%      25%      50%      75%      90%
                  2        3      5.5      10      22.5

```

tex5p_51 > 5 years of teaching experience, 1951

```
-----
      type:  numeric (double)

      range:  [0,1183]          units:  .01
unique values: 63              missing .: 44/320

      mean:   17.7939
      std. dev: 75.8239

percentiles:      10%      25%      50%      75%      90%
                  2        3        6       11       23
-----
```

tex5p_52 > 5 years of teaching experience, 1952

```
-----
      type:  numeric (double)

      range:  [0,1177.5]        units:  .01
unique values: 77              missing .: 10/320

      mean:   18.7163
      std. dev: 72.1454

percentiles:      10%      25%      50%      75%      90%
                  2        4      6.625     12      29.5
-----
```

tex5p_53 > 5 years of teaching experience, 1953

```
-----
      type:  numeric (double)

      range:  [0,1220.5]        units:  .01
unique values: 79              missing .: 19/320

      mean:   19.6077
      std. dev: 75.4549

percentiles:      10%      25%      50%      75%      90%
                  2        4        7       13       32
-----
```

tsc0_45 Teachers w/ < 1 year beyond 12th grade, 1945

```
-----
      type:  numeric (double)

      range:  [0,6]            units:  .1
unique values: 7              missing .: 26/320

      tabulation:  Freq.  Value
                   279    0
                     1    .2
                     1    .3
                     8    1
                     3    2
                     1    3
                     1    6
                    26    .
-----
```

tsc0_46 Teachers w/ < 1 year beyond 12th grade, 1946

type: numeric (double)
range: [0,3] units: .1
unique values: 6 missing .: 7/320
tabulation: Freq. Value
296 0
1 .2
1 .5
10 1
4 2
1 3
7 .

tsc0_47 Teachers w/ < 1 year beyond 12th grade, 1947

type: numeric (double)
range: [0,2.5] units: .1
unique values: 4 missing .: 6/320
tabulation: Freq. Value
302 0
10 1
1 2
1 2.5
6 .

tsc0_48 Teachers w/ < 1 year beyond 12th grade, 1948

type: numeric (double)
range: [0,2] units: .1
unique values: 4 missing .: 11/320
tabulation: Freq. Value
298 0
1 .4
6 1
4 2
11 .

tsc0_49 Teachers w/ < 1 year beyond 12th grade, 1949

type: numeric (double)
range: [0,3] units: .1
unique values: 5 missing .: 8/320
tabulation: Freq. Value
297 0
8 1
5 2

1 2.5
1 3
8 .

tsc0_50 Teachers w/ < 1 year beyond 12th grade, 1950

type: numeric (byte)

range: [0,4] units: 1
unique values: 4 missing .: 77/320

tabulation: Freq. Value
236 0
3 1
3 2
1 4
77 .

tsc0_51 Teachers w/ < 1 year beyond 12th grade, 1951

type: numeric (double)

range: [0,10.5] units: .1
unique values: 4 missing .: 44/320

tabulation: Freq. Value
269 0
4 1
2 2
1 10.5
44 .

tsc0_52 Teachers w/ < 1 year beyond 12th grade, 1952

type: numeric (byte)

range: [0,2] units: 1
unique values: 3 missing .: 10/320

tabulation: Freq. Value
305 0
3 1
2 2
10 .

tsc0_53 Teachers w/ < 1 year beyond 12th grade, 1953

type: numeric (double)

range: [0,3] units: .1
unique values: 5 missing .: 19/320

tabulation: Freq. Value
291 0
6 1

```

1 1.5
2 2
1 3
19 .

```

```

tsc1_45 Teachers w/ 1 year beyond 12th grade, 1945

```

```

type: numeric (double)

range: [0,6.5] units: .1
unique values: 6 missing .: 26/320

tabulation: Freq. Value
             231 0
             37 1
             20 2
              4 3
              1 5.5
              1 6.5
             26 .

```

```

tsc1_46 Teachers w/ 1 year beyond 12th grade, 1946

```

```

type: numeric (double)

range: [0,5] units: .1
unique values: 7 missing .: 7/320

tabulation: Freq. Value
             243 0
             40 1
             19 2
              8 3
              1 3.5
              1 4
              1 5
              7 .

```

```

tsc1_47 Teachers w/ 1 year beyond 12th grade, 1947

```

```

type: numeric (double)

range: [0,6] units: 1
unique values: 7 missing .: 6/320

tabulation: Freq. Value
             232 0
             50 1
             25 2
              2 3
              1 4
              3 5
              1 6
              6 .

```

```

tsc1_48 Teachers w/ 1 year beyond 12th grade, 1948

```

```

-----
                type:  numeric (double)

                range:  [0,5]                      units:  1
unique values:  6                      missing .:  11/320

    tabulation:  Freq.  Value
                  236    0
                  49    1
                  12    2
                   8    3
                   1    4
                   3    5
                  11    .
-----

tsc1_49                      Teachers w/ 1 year beyond 12th grade, 1949
-----

                type:  numeric (double)

                range:  [0,15]                      units:  .1
unique values:  10                      missing .:  8/320

                mean:  .485577
                std. dev:  1.35581

    percentiles:           10%      25%      50%      75%      90%
                           0         0         0         0         1
-----

tsc1_50                      Teachers w/ 1 year beyond 12th grade, 1950
-----

                type:  numeric (double)

                range:  [0,13]                      units:  .01
unique values:  10                      missing .:  77/320

                mean:  .475062
                std. dev:  1.28403

    percentiles:           10%      25%      50%      75%      90%
                           0         0         0         0         2
-----

tsc1_51                      Teachers w/ 1 year beyond 12th grade, 1951
-----

                type:  numeric (double)

                range:  [0,8]                      units:  .1
unique values:  10                      missing .:  44/320

                mean:  .442391
                std. dev:  1.18811

    percentiles:           10%      25%      50%      75%      90%
                           0         0         0         0         1
-----

tsc1_52                      Teachers w/ 1 year beyond 12th grade, 1952

```

```

-----
                type:  numeric (double)

                range:  [0,7]                      units:  .01
unique values:  10                      missing .:  10/320

                mean:   .274032
                std. dev: .789809

percentiles:           10%           25%           50%           75%           90%
                      0             0             0             0             1

```

```

-----
tsc1_53                      Teachers w/ 1 year beyond 12th grade, 1953
-----

```

```

                type:  numeric (byte)

                range:  [0,12]                      units:  1
unique values:  9                      missing .:  19/320

tabulation:  Freq.  Value
              252    0
               25    1
                9    2
                4    3
                5    4
                3    5
                1    8
                1    9
                1   12
               19    .

```

```

-----
tsc2_45                      Teachers w/ 2 years beyond 12th grade, 1945
-----

```

```

                type:  numeric (double)

                range:  [0,318.5]                    units:  .01
unique values:  29                      missing .:  26/320

                mean:   4.80395
                std. dev: 19.8779

percentiles:           10%           25%           50%           75%           90%
                      0             1             2             4             7

```

```

-----
tsc2_46                      Teachers w/ 2 years beyond 12th grade, 1946
-----

```

```

                type:  numeric (double)

                range:  [0,283]                      units:  .1
unique values:  26                      missing .:  7/320

                mean:   4.72843
                std. dev: 17.3397

percentiles:           10%           25%           50%           75%           90%
                      0             1             2             4             7

```

tsc2_47 Teachers w/ 2 years beyond 12th grade, 1947

type: numeric (double)
range: [0,260] units: .1
unique values: 30 missing .. 6/320
mean: 4.56815
std. dev: 15.8921
percentiles: 10% 25% 50% 75% 90%
0 1 3 4 7

tsc2_48 Teachers w/ 2 years beyond 12th grade, 1948

type: numeric (double)
range: [0,256] units: .01
unique values: 29 missing .. 11/320
mean: 4.51023
std. dev: 15.6598
percentiles: 10% 25% 50% 75% 90%
0 1 2 4 7

tsc2_49 Teachers w/ 2 years beyond 12th grade, 1949

type: numeric (double)
range: [0,237.5] units: .1
unique values: 28 missing .. 8/320
mean: 4.5359
std. dev: 14.5901
percentiles: 10% 25% 50% 75% 90%
0 1 3 4 7

tsc2_50 Teachers w/ 2 years beyond 12th grade, 1950

type: numeric (double)
range: [0,221] units: .01
unique values: 30 missing .. 77/320
mean: 4.51239
std. dev: 15.0013
percentiles: 10% 25% 50% 75% 90%
0 1 2 4 7

tsc2_51 Teachers w/ 2 years beyond 12th grade, 1951

```

-----
                type:  numeric (double)

                range:  [0,216]                units:  .01
unique values:  29                missing .:  44/320

                mean:   4.44076
                std. dev: 13.9216

percentiles:           10%           25%           50%           75%           90%
                        0             1             2             4             7

```

```

-----
tsc2_52                Teachers w/ 2 years beyond 12th grade, 1952
-----

```

```

                type:  numeric (double)

                range:  [0,195]                units:  .01
unique values:  34                missing .:  10/320

                mean:   4.27426
                std. dev: 12.1486

percentiles:           10%           25%           50%           75%           90%
                        0             1             2             4             8

```

```

-----
tsc2_53                Teachers w/ 2 years beyond 12th grade, 1953
-----

```

```

                type:  numeric (double)

                range:  [0,191]                units:  .01
unique values:  36                missing .:  19/320

                mean:   4.09924
                std. dev: 11.9248

percentiles:           10%           25%           50%           75%           90%
                        0             1             2           4.67           7

```

```

-----
tsc3_45                Teachers w/ 3 years beyond 12th grade, 1945
-----

```

```

                type:  numeric (double)

                range:  [0,204]                units:  .01
unique values:  32                missing .:  26/320

                mean:   4.81075
                std. dev: 14.2062

percentiles:           10%           25%           50%           75%           90%
                        0             1             2             4             8

```

```

-----
tsc3_46                Teachers w/ 3 years beyond 12th grade, 1946
-----

```

```

                type:  numeric (double)

```

range: [0,170.5] units: .01
unique values: 27 missing .: 7/320

mean: 4.21511
std. dev: 11.5739

percentiles:	10%	25%	50%	75%	90%
	0	1	2	4	8

tsc3_47 Teachers w/ 3 years beyond 12th grade, 1947

type: numeric (double)

range: [0,165.5] units: .01
unique values: 34 missing .: 6/320

mean: 4.18338
std. dev: 11.1933

percentiles:	10%	25%	50%	75%	90%
	0	1	2	4	8

tsc3_48 Teachers w/ 3 years beyond 12th grade, 1948

type: numeric (double)

range: [0,148.5] units: .1
unique values: 31 missing .: 11/320

mean: 3.97832
std. dev: 9.94461

percentiles:	10%	25%	50%	75%	90%
	0	1	2	4	8

tsc3_49 Teachers w/ 3 years beyond 12th grade, 1949

type: numeric (double)

range: [0,148.5] units: .01
unique values: 33 missing .: 8/320

mean: 4.31971
std. dev: 9.92046

percentiles:	10%	25%	50%	75%	90%
	0	1	2	5	9

tsc3_50 Teachers w/ 3 years beyond 12th grade, 1950

type: numeric (double)

range: [0,139.5] units: .01
unique values: 28 missing .: 77/320

```

        mean: 4.17082
      std. dev: 10.2351

percentiles:    10%    25%    50%    75%    90%
                0      1      2      5      8

```

```

-----
tsc3_51                                Teachers w/ 3 years beyond 12th grade, 1951
-----

```

```

        type: numeric (double)

        range: [0,124]          units: .01
unique values: 32              missing .: 44/320

        mean: 4.25453
      std. dev: 9.03611

percentiles:    10%    25%    50%    75%    90%
                0      1      2      5      9

```

```

-----
tsc3_52                                Teachers w/ 3 years beyond 12th grade, 1952
-----

```

```

        type: numeric (double)

        range: [0,131]          units: .01
unique values: 33              missing .: 10/320

        mean: 4.54716
      std. dev: 8.85277

percentiles:    10%    25%    50%    75%    90%
                0      1      3      5      9

```

```

-----
tsc3_53                                Teachers w/ 3 years beyond 12th grade, 1953
-----

```

```

        type: numeric (double)

        range: [0,155]          units: .01
unique values: 32              missing .: 19/320

        mean: 4.7402
      std. dev: 10.1065

percentiles:    10%    25%    50%    75%    90%
                0      1      3      5      9

```

```

-----
tsc4_45                                Teachers w/ 4 years beyond 12th grade, 1945
-----

```

```

        type: numeric (double)

        range: [0,575.5]        units: .01
unique values: 52              missing .: 26/320

        mean: 9.40918
      std. dev: 37.6021

```


percentiles:	10%	25%	50%	75%	90%
	0	0	1.4	5	16

tsc4_46 Teachers w/ 4 years beyond 12th grade, 1946

type: numeric (double)

range:	[0,560.5]	units:	.01
unique values:	51	missing .:	7/320
mean:	9.24435		
std. dev:	36.3348		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	4	16

tsc4_47 Teachers w/ 4 years beyond 12th grade, 1947

type: numeric (double)

range:	[0,606]	units:	.01
unique values:	53	missing .:	6/320
mean:	9.52561		
std. dev:	38.9975		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5	15

tsc4_48 Teachers w/ 4 years beyond 12th grade, 1948

type: numeric (double)

range:	[0,604]	units:	.01
unique values:	52	missing .:	11/320
mean:	9.78689		
std. dev:	39.3953		

percentiles:	10%	25%	50%	75%	90%
	0	0	1	5.1	14.5

tsc4_49 Teachers w/ 4 years beyond 12th grade, 1949

type: numeric (double)

range:	[0,666.5]	units:	.01
unique values:	55	missing .:	8/320
mean:	10.4951		
std. dev:	42.9806		

percentiles:	10%	25%	50%	75%	90%
	0	0	1.79	5.05	16

tsc4_50 Teachers w/ 4 years beyond 12th grade, 1950

type: numeric (double)
range: [0,686] units: .01
unique values: 48 missing ..: 77/320
mean: 10.5018
std. dev: 48.1328
percentiles: 10% 25% 50% 75% 90%
0 0 2 6 14

tsc4_51 Teachers w/ 4 years beyond 12th grade, 1951

type: numeric (double)
range: [0,682.5] units: .01
unique values: 57 missing ..: 44/320
mean: 11.2368
std. dev: 46.1257
percentiles: 10% 25% 50% 75% 90%
0 1 2 7 16.66

tsc4_52 Teachers w/ 4 years beyond 12th grade, 1952

type: numeric (double)
range: [0,791] units: .01
unique values: 69 missing ..: 10/320
mean: 13.1417
std. dev: 50.7067
percentiles: 10% 25% 50% 75% 90%
0 1 3 8 21

tsc4_53 Teachers w/ 4 years beyond 12th grade, 1953

type: numeric (double)
range: [0,824.5] units: .01
unique values: 66 missing ..: 19/320
mean: 14.0629
std. dev: 53.8956
percentiles: 10% 25% 50% 75% 90%
0 1 3 9 23

tsc5_45 Teachers w/ 5 years beyond 12th grade, 1945

```

-----
                type:  numeric (double)

                range:  [0,245.5]                units:  .01
unique values:  25                                missing .:  26/320

                mean:   2.04711
                std. dev: 14.9488

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        2

```

```

-----
tsc5_46                                Teachers w/ 5 years beyond 12th grade, 1946
-----

```

```

                type:  numeric (double)

                range:  [0,275]                units:  .01
unique values:  27                                missing .:  7/320

                mean:   2.15498
                std. dev: 16.2116

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        2

```

```

-----
tsc5_47                                Teachers w/ 5 years beyond 12th grade, 1947
-----

```

```

                type:  numeric (double)

                range:  [0,262]                units:  .01
unique values:  32                                missing .:  6/320

                mean:   2.30532
                std. dev: 15.589

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        2

```

```

-----
tsc5_48                                Teachers w/ 5 years beyond 12th grade, 1948
-----

```

```

                type:  numeric (double)

                range:  [0,295]                units:  .01
unique values:  33                                missing .:  11/320

                mean:   2.45553
                std. dev: 17.5147

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        .1        2

```

```

-----
tsc5_49                                Teachers w/ 5 years beyond 12th grade, 1949
-----

```

```

                type:  numeric (double)

```

range: [0,282.5] units: .01
unique values: 34 missing .: 8/320

mean: 2.56202
std. dev: 16.9681

percentiles:	10%	25%	50%	75%	90%
	0	0	0	.45	2.75

tsc5_50 Teachers w/ 5 years beyond 12th grade, 1950

type: numeric (double)

range: [0,264.5] units: .01
unique values: 22 missing .: 77/320

mean: 2.13638
std. dev: 17.3947

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	2

tsc5_51 Teachers w/ 5 years beyond 12th grade, 1951

type: numeric (double)

range: [0,243] units: .01
unique values: 26 missing .: 44/320

mean: 2.11576
std. dev: 15.2792

percentiles:	10%	25%	50%	75%	90%
	0	0	0	.085	2

tsc5_52 Teachers w/ 5 years beyond 12th grade, 1952

type: numeric (double)

range: [0,252] units: .01
unique values: 30 missing .: 10/320

mean: 2.42832
std. dev: 15.3722

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	2.5

tsc5_53 Teachers w/ 5 years beyond 12th grade, 1953

type: numeric (double)

range: [0,271] units: .01
unique values: 37 missing .: 19/320

mean: 3.24349
std. dev: 17.26

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tsc5p_45 Teachers w/ > 5 years beyond 12th grade, 1945

type: numeric (double)

range:	[0,197]	units:	.01
unique values:	20	missing .:	26/320

mean: 1.8898
std. dev: 12.986

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc5p_46 Teachers w/ > 5 years beyond 12th grade, 1946

type: numeric (double)

range:	[0,237]	units:	.01
unique values:	21	missing .:	7/320

mean: 1.42581
std. dev: 13.6983

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc5p_47 Teachers w/ > 5 years beyond 12th grade, 1947

type: numeric (double)

range:	[0,239]	units:	.01
unique values:	17	missing .:	6/320

mean: 1.35847
std. dev: 13.7151

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc5p_48 Teachers w/ > 5 years beyond 12th grade, 1948

type: numeric (double)

range:	[0,256.5]	units:	.01
unique values:	21	missing .:	11/320

mean: 1.44366
std. dev: 14.8138

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc5p_49 Teachers w/ > 5 years beyond 12th grade, 1949

type: numeric (double)

range:	[0,280]	units:	.01
unique values:	20	missing .:	8/320
mean:	1.71378		
std. dev:	16.2915		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc5p_50 Teachers w/ > 5 years beyond 12th grade, 1950

type: numeric (double)

range:	[0,197.5]	units:	.01
unique values:	12	missing .:	77/320
mean:	1.21449		
std. dev:	12.8261		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	.5

tsc5p_51 Teachers w/ > 5 years beyond 12th grade, 1951

type: numeric (double)

range:	[0,251]	units:	.01
unique values:	18	missing .:	44/320
mean:	1.54507		
std. dev:	15.3619		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc5p_52 Teachers w/ > 5 years beyond 12th grade, 1952

type: numeric (double)

range:	[0,241]	units:	.01
unique values:	20	missing .:	10/320
mean:	1.51068		
std. dev:	14.1275		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc5p_53 Teachers w/ > 5 years beyond 12th grade, 1953

type: numeric (double)
range: [0,300.5] units: .01
unique values: 17 missing ..: 19/320
mean: 1.6002
std. dev: 17.6208
percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

f_enrol_45 Flag for total enrollment, 1945

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing ..: 0/320
tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_open_45 Flag for length of school year, 1945

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing ..: 0/320
tabulation: Freq. Numeric Label
320 0 Not imputed

f_attend_45 Flag for average daily attendance, 1945

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing ..: 0/320
tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_malpay_45 Flag for total male salary, 1945

type: numeric (float)
label: impute

```

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
              320      0 Not imputed

```

```

-----
f_fempay_45                                     Flag for total female salary, 1945
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
              319      0 Not imputed
              1       1 Imputed

```

```

-----
f_sal_45                                         Flag for total salary, 1945
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
              319      0 Not imputed
              1       1 Imputed

```

```

-----
f_expen_45                                       Flag for expenses on instruction, 1945
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
              317      0 Not imputed
              3       1 Imputed

```

```

-----
f_expup_45                                       Flag for expenditures per pupil, 1945
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
              318      0 Not imputed
              2       1 Imputed

```


tabulation: Freq. Numeric Label
320 0 Not imputed

f_ptrat2_45 Flag for pupil-teacher ratio 2, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_enrol_46 Flag for total enrollment, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_open_46 Flag for length of school year, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_attend_46 Flag for average daily attendance, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_malpay_46 Flag for total male salary, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_fempay_46 Flag for total female salary, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_sal_46 Flag for total salary, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_expen_46 Flag for expenses on instruction, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_expup_46 Flag for expenditures per pupil, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tforcel_46 Flag for size of teaching force 1, 1946

type: numeric (float)

label: impute
range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tforce2_46 Flag for size of teaching force 2, 1946

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tsall_46 Flag for average teacher salary 1, 1946

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tsal2_46 Flag for average teacher salary 2, 1946

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_ptrat1_46 Flag for pupil-teacher ratio 1, 1946

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_ptrat2_46 Flag for pupil-teacher ratio 2, 1946

f_fempay_47	Flag for total female salary, 1947
-------------	------------------------------------

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing.: 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_sal_47	Flag for total salary, 1947
----------	-----------------------------

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_expen_47	Flag for expenses on instruction, 1947
------------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_expup_47	Flag for expenditures per pupil, 1947
------------	---------------------------------------

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320      0   Not imputed

```

f_tforce1_47	Flag for size of teaching force 1, 1947
--------------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]          units: 1
unique values: 1          missing : 0/320

      tabulation: Freq.   Numeric   Label

```

320 0 Not imputed

f_tforce2_47 Flag for size of teaching force 2, 1947

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tsall_47 Flag for average teacher salary 1, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsal2_47 Flag for average teacher salary 2, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_ptrat1_47 Flag for pupil-teacher ratio 1, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_ptrat2_47 Flag for pupil-teacher ratio 2, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1

unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_enrol_48 Flag for total enrollment, 1948

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_open_48 Flag for length of school year, 1948

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_attend_48 Flag for average daily attendance, 1948

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_malpay_48 Flag for total male salary, 1948

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_fempay_48 Flag for total female salary, 1948

type: numeric (float)
label: impute


```

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320       0   Not imputed

```

```

f_sal_48                                     Flag for total salary, 1948

```

```

        type: numeric (float)
        label: impute

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320       0   Not imputed

```

```

f_expen_48                                 Flag for expenses on instruction, 1948

```

```

        type: numeric (float)
        label: impute

        range: [0,1]                      units: 1
unique values: 2                      missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     319       0   Not imputed
                     1         1   Imputed

```

```

f_expup_48                                Flag for expenditures per pupil, 1948

```

```

        type: numeric (float)
        label: impute

        range: [0,1]                      units: 1
unique values: 2                      missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     319       0   Not imputed
                     1         1   Imputed

```

```

f_tforcel_48                             Flag for size of teaching force 1, 1948

```

```

        type: numeric (float)
        label: impute

        range: [0,1]                      units: 1
unique values: 2                      missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     319       0   Not imputed
                     1         1   Imputed

```

f_tforce2_48 Flag for size of teaching force 2, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tsal1_48 Flag for average teacher salary 1, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tsal2_48 Flag for average teacher salary 2, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_ptrat1_48 Flag for pupil-teacher ratio 1, 1948

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_ptrat2_48 Flag for pupil-teacher ratio 2, 1948

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_enrol_49 Flag for total enrollment, 1949

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_open_49 Flag for length of school year, 1949

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_attend_49 Flag for average daily attendance, 1949

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_malpay_49 Flag for total male salary, 1949

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
318 0 Not imputed
2 1 Imputed

f_fempay_49 Flag for total female salary, 1949

type: numeric (float)

label: impute
range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_sal_49 Flag for total salary, 1949

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	318	0	Not imputed
	2	1	Imputed

f_expen_49 Flag for expenses on instruction, 1949

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_expup_49 Flag for expenditures per pupil, 1949

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tforcel_49 Flag for size of teaching force 1, 1949

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tforce2_49	Flag for size of teaching force 2, 1949
--------------	---

```

      type: numeric (float)
      label: impute

      range: [0,1]                      units: 1
unique values: 2                      missing : 0/320

      tabulation:  Freq.    Numeric  Label
                   319         0  Not imputed
                   1         1  Imputed

```

f_tsall_49	Flag for average teacher salary 1, 1949
------------	---

```

      type: numeric (float)
      label: impute

      range: [0,1]                      units: 1
unique values: 2                      missing .: 0/320

      tabulation:  Freq.   Numeric  Label
                   318       0    Not imputed
                   2        1    Imputed

```

f_tsal2_49	Flag for average teacher salary 2, 1949
------------	---

```

      type: numeric (float)
      label: impute

      range: [0,1]                      units: 1
unique values: 2                      missing : 0/320

      tabulation:  Freq.   Numeric   Label
                   318      0   Not imputed
                   2       1   Imputed

```

f ptrat1 49 Flag for pupil-teacher ratio 1, 1949

```

      type: numeric (float)
      label: impute

      range: [0,1]                                units: 1
unique values: 2                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  319       0   Not imputed
                   1       1   Imputed

```

f ptrat2 49 Flag for pupil-teacher ratio 2, 1949

```
type:  numeric (float)
label:  impute
```

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_enrol_50 Flag for total enrollment, 1950

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_open_50 Flag for length of school year, 1950

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_attend_50 Flag for average daily attendance, 1950

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_sal_50 Flag for total salary, 1950

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_expen_50 Flag for expenses on instruction, 1950

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```

-----
f_expup_50                                     Flag for expenditures per pupil, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```

-----
f_tforcel_50                                 Flag for size of teaching force 1, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```

-----
f_tforce2_50                                 Flag for size of teaching force 2, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     318         0   Not imputed
                     2         1   Imputed

```

```

-----
f_tsall_50                                    Flag for average teacher salary 1, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

f_tsal2_50 Flag for average teacher salary 2, 1950

type:	numeric (float)		
label:	impute		
range:	[0,0]	units:	1
unique values:	1	missing .:	0/320
tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_ptrat1_50 Flag for pupil-teacher ratio 1, 1950

type:	numeric (float)		
label:	impute		
range:	[0,0]	units:	1
unique values:	1	missing .:	0/320
tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_ptrat2_50 Flag for pupil-teacher ratio 2, 1950

type:	numeric (float)		
label:	impute		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/320
tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_enrol_51 Flag for total enrollment, 1951

type:	numeric (float)		
label:	impute		
range:	[0,1]	units:	1
unique values:	2	missing .:	0/320
tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_open_51 Flag for length of school year, 1951

type:	numeric (float)		
label:	impute		
range:	[0,0]	units:	1
unique values:	1	missing .:	0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_attend_51 Flag for average daily attendance, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_sal_51 Flag for total salary, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_expen_51 Flag for expenses on instruction, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_expup_51 Flag for expenditures per pupil, 1951

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tforc1_51 Flag for size of teaching force 1, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tforce2_51 Flag for size of teaching force 2, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsal1_51 Flag for average teacher salary 1, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsal2_51 Flag for average teacher salary 2, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_ptrat1_51 Flag for pupil-teacher ratio 1, 1951

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_ptrat2_51 Flag for pupil-teacher ratio 2, 1951

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing :: 0/320

        tabulation: Freq.   Numeric   Label
                     319       0   Not imputed
                     1       1   Imputed

```

```

-----
f_enrol_52                                     Flag for total enrollment, 1952
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing :: 0/320

        tabulation: Freq.   Numeric   Label
                     320       0   Not imputed

```

```

-----
f_open_52                                     Flag for length of school year, 1952
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing :: 0/320

        tabulation: Freq.   Numeric   Label
                     320       0   Not imputed

```

```

-----
f_attend_52                                  Flag for average daily attendance, 1952
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing :: 0/320

        tabulation: Freq.   Numeric   Label
                     320       0   Not imputed

```

```

-----
f_sal_52                                     Flag for total salary, 1952
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing :: 0/320

        tabulation: Freq.   Numeric   Label
                     320       0   Not imputed

```

f_expen_52 Flag for expenses on instruction, 1952

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_expup_52 Flag for expenditures per pupil, 1952

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tforc1_52 Flag for size of teaching force 1, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tforce2_52 Flag for size of teaching force 2, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsall_52 Flag for average teacher salary 1, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsal2_52 Flag for average teacher salary 2, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_ptrat1_52 Flag for pupil-teacher ratio 1, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_ptrat2_52 Flag for pupil-teacher ratio 2, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_enrol_53 Flag for total enrollment, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_open_53 Flag for length of school year, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1

unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_attend_53 Flag for average daily attendance, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_sal_53 Flag for total salary, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_expen_53 Flag for expenses on instruction, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_expup_53 Flag for expenditures per pupil, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tforc1_53 Flag for size of teaching force 1, 1953

type: numeric (float)
label: impute

```

        range: [0,0]
unique values: 1
        units: 1
        missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tforce2_53                                     Flag for size of teaching force 2, 1953
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
unique values: 1
        units: 1
        missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tsall1_53                                     Flag for average teacher salary 1, 1953
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
unique values: 1
        units: 1
        missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tsall2_53                                     Flag for average teacher salary 2, 1953
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
unique values: 1
        units: 1
        missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_ptrat1_53                                     Flag for pupil-teacher ratio 1, 1953
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
unique values: 1
        units: 1
        missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_ptrat2_53                                     Flag for pupil-teacher ratio 2, 1953
-----
```


f_tex2_45	Flag for 2 years of teaching experience, 1945
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_tex3_45	Flag for 3 years of teaching experience, 1945
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tex4_45 Flag for 4 years of teaching experience, 1945

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tex5_45	Flag for 5 years of teaching experience, 1945
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320      0   Not imputed

```

f_tex5p_45 Flag for > 5 years of teaching experience, 1945

```

      type: numeric (float)
      label: impute

      range: [0,0]          units: 1
unique values: 1          missing : 0/320

      tabulation: Freq.   Numeric   Label

```

320 0 Not imputed

f_tsc0_45 Flag for teachers w/ < 1 year beyond 12th grade, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc1_45 Flag for teachers w/ 1 year beyond 12th grade, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc2_45 Flag for teachers w/ 2 years beyond 12th grade, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc3_45 Flag for teachers w/ 3 years beyond 12th grade, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc4_45 Flag for teachers w/ 4 years beyond 12th grade, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc5_45 Flag for teachers w/ 5 years beyond 12th grade, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc5p_45 Flag for teachers w/ > 5 years beyond 12th grade, 1945

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi0_46 Flag for taught in district for < 1 year, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi1_46 Flag for taught in district for 1 year, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi2_46 Flag for taught in district for 2 years, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi3_46 Flag for taught in district for 3 years, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi4_46 Flag for taught in district for 4 years, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi5_46 Flag for taught in district for 5 years, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi5p_46 Flag for taught in district for > 5 years, 1946

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tex0_46 Flag for < 1 year of teaching experience, 1946

type: numeric (float)

```
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex1_46 Flag for 1 year of teaching experience, 1946

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex2_46 Flag for 2 years of teaching experience, 1946

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex3_46 Flag for 3 years of teaching experience, 1946

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex4_46 Flag for 4 years of teaching experience, 1946

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex5_46 Flag for 5 years of teaching experience, 1946

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.    Numeric    Label
                     320         0    Not imputed

```

f_tex5p_46 Flag for > 5 years of teaching experience, 1946

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.    Numeric    Label
                     320         0    Not imputed

```

f_tsc0_46 Flag for teachers w/ < 1 year beyond 12th grade, 1946

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.    Numeric    Label
                     320         0    Not imputed

```

f_tsc1_46 Flag for teachers w/ 1 year beyond 12th grade, 1946

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.    Numeric    Label
                     320         0    Not imputed

```

f_tsc2_46 Flag for teachers w/ 2 years beyond 12th grade, 1946

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.    Numeric    Label
                     320         0    Not imputed

```

f_tsc3_46	Flag for teachers w/ 3 years beyond 12th grade, 1946
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320      0   Not imputed

```

f_tsc4_46	Flag for teachers w/ 4 years beyond 12th grade, 1946
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320      0   Not imputed

```

f_tsc5_46	Flag for teachers w/ 5 years beyond 12th grade, 1946
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tsc5p_46 Flag for teachers w/ > 5 years beyond 12th grade, 1946

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

Variable	Description
f_tdi0_47	Flag for taught in district for < 1 year, 1947

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```


f_tdi1_47	Flag for taught in district for 1 year, 1947
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing .: 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tdi2_47	Flag for taught in district for 2 years, 1947
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tdi3_47	Flag for taught in district for 3 years, 1947
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_tdi4_47	Flag for taught in district for 4 years, 1947
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f tdi5 47	Flag for taught in district for 5 years, 1947
-----------	---

```

      type:  numeric (float)
      label:  impute

      range:  [0,0]
      units:  1
unique values: 1
missing : 0/320

```

```
tabulation:  Freq.  Numeric  Label
              320      0  Not imputed
```

```
-----
f_tdi5p_47          Flag for taught in district for > 5 years, 1947
-----
```

```
      type:  numeric (float)
      label:  impute

      range:  [0,0]          units:  1
unique values: 1          missing .:  0/320

      tabulation:  Freq.  Numeric  Label
                   320      0  Not imputed
```

```
-----
f_tex0_47          Flag for < 1 year of teaching experience, 1947
-----
```

```
      type:  numeric (float)
      label:  impute

      range:  [0,0]          units:  1
unique values: 1          missing .:  0/320

      tabulation:  Freq.  Numeric  Label
                   320      0  Not imputed
```

```
-----
f_tex1_47          Flag for 1 year of teaching experience, 1947
-----
```

```
      type:  numeric (float)
      label:  impute

      range:  [0,0]          units:  1
unique values: 1          missing .:  0/320

      tabulation:  Freq.  Numeric  Label
                   320      0  Not imputed
```

```
-----
f_tex2_47          Flag for 2 years of teaching experience, 1947
-----
```

```
      type:  numeric (float)
      label:  impute

      range:  [0,0]          units:  1
unique values: 1          missing .:  0/320

      tabulation:  Freq.  Numeric  Label
                   320      0  Not imputed
```

```
-----
f_tex3_47          Flag for 3 years of teaching experience, 1947
-----
```

```
      type:  numeric (float)
      label:  impute

      range:  [0,0]          units:  1
```

unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tex4_47 Flag for 4 years of teaching experience, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tex5_47 Flag for 5 years of teaching experience, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tex5p_47 Flag for > 5 years of teaching experience, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tsc0_47 Flag for teachers w/ < 1 year beyond 12th grade, 1947

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tsc1_47 Flag for teachers w/ 1 year beyond 12th grade, 1947

type: numeric (float)
label: impute

```
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc2_47 Flag for teachers w/ 2 years beyond 12th grade, 1947

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc3_47 Flag for teachers w/ 3 years beyond 12th grade, 1947

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc4_47 Flag for teachers w/ 4 years beyond 12th grade, 1947

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc5_47 Flag for teachers w/ 5 years beyond 12th grade, 1947

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc5p_47 Flag for teachers w/ > 5 years beyond 12th grade, 1947

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```

-----
f_tdi0_48                                Flag for taught in district for < 1 year, 1948
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed
                     1         1   Imputed

```

```

-----
f_tdi1_48                                Flag for taught in district for 1 year, 1948
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed
                     1         1   Imputed

```

```

-----
f_tdi2_48                                Flag for taught in district for 2 years, 1948
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed
                     1         1   Imputed

```

```

-----
f_tdi3_48                                Flag for taught in district for 3 years, 1948
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed

```

1 1 Imputed

f_tdi4_48 Flag for taught in district for 4 years, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tdi5_48 Flag for taught in district for 5 years, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tdi5p_48 Flag for taught in district for > 5 years, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex0_48 Flag for < 1 year of teaching experience, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex1_48 Flag for 1 year of teaching experience, 1948

type: numeric (float)

label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex2_48 Flag for 2 years of teaching experience, 1948

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex3_48 Flag for 3 years of teaching experience, 1948

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex4_48 Flag for 4 years of teaching experience, 1948

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex5_48 Flag for 5 years of teaching experience, 1948

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed

1 1 Imputed

f_tex5p_48 Flag for > 5 years of teaching experience, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	318	0	Not imputed
	2	1	Imputed

f_tsc0_48 Flag for teachers w/ < 1 year beyond 12th grade, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc1_48 Flag for teachers w/ 1 year beyond 12th grade, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc2_48 Flag for teachers w/ 2 years beyond 12th grade, 1948

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc3_48 Flag for teachers w/ 3 years beyond 12th grade, 1948

type: numeric (float)

label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc4_48 Flag for teachers w/ 4 years beyond 12th grade, 1948

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc5_48 Flag for teachers w/ 5 years beyond 12th grade, 1948

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc5p_48 Flag for teachers w/ > 5 years beyond 12th grade, 1948

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tdi0_49 Flag for taught in district for < 1 year, 1949

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed


```
tabulation: Freq.   Numeric   Label
              320           0 Not imputed
```

```
-----
f_tdi5p_49                               Flag for taught in district for > 5 years, 1949
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex0_49                               Flag for < 1 year of teaching experience, 1949
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex1_49                               Flag for 1 year of teaching experience, 1949
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex2_49                               Flag for 2 years of teaching experience, 1949
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex3_49                               Flag for 3 years of teaching experience, 1949
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
```

unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tex4_49 Flag for 4 years of teaching experience, 1949

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tex5_49 Flag for 5 years of teaching experience, 1949

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tex5p_49 Flag for > 5 years of teaching experience, 1949

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tsc0_49 Flag for teachers w/ < 1 year beyond 12th grade, 1949

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tsc1_49 Flag for teachers w/ 1 year beyond 12th grade, 1949

type: numeric (float)
label: impute

```
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc2_49 Flag for teachers w/ 2 years beyond 12th grade, 1949

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc3_49 Flag for teachers w/ 3 years beyond 12th grade, 1949

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc4_49 Flag for teachers w/ 4 years beyond 12th grade, 1949

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc5_49 Flag for teachers w/ 5 years beyond 12th grade, 1949

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc5p_49 Flag for teachers w/ > 5 years beyond 12th grade, 1949

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```

-----
f_tdi0_50                                     Flag for taught in district for < 1 year, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed
                     1         1   Imputed

```

```

-----
f_tdi1_50                                     Flag for taught in district for 1 year, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed
                     1         1   Imputed

```

```

-----
f_tdi2_50                                     Flag for taught in district for 2 years, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed
                     1         1   Imputed

```

```

-----
f_tdi3_50                                     Flag for taught in district for 3 years, 1950
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     319         0   Not imputed

```

1 1 Imputed

f_tdi4_50 Flag for taught in district for 4 years, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tdi5_50 Flag for taught in district for 5 years, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tdi5p_50 Flag for taught in district for > 5 years, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex0_50 Flag for < 1 year of teaching experience, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex1_50 Flag for 1 year of teaching experience, 1950

type: numeric (float)

label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex2_50 Flag for 2 years of teaching experience, 1950

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex3_50 Flag for 3 years of teaching experience, 1950

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex4_50 Flag for 4 years of teaching experience, 1950

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tex5_50 Flag for 5 years of teaching experience, 1950

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed

1 1 Imputed

f_tex5p_50 Flag for > 5 years of teaching experience, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tsc0_50 Flag for teachers w/ < 1 year beyond 12th grade, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tsc1_50 Flag for teachers w/ 1 year beyond 12th grade, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tsc2_50 Flag for teachers w/ 2 years beyond 12th grade, 1950

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/320

tabulation: Freq. Numeric Label
319 0 Not imputed
1 1 Imputed

f_tsc3_50 Flag for teachers w/ 3 years beyond 12th grade, 1950

type: numeric (float)

label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc4_50 Flag for teachers w/ 4 years beyond 12th grade, 1950

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc5_50 Flag for teachers w/ 5 years beyond 12th grade, 1950

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tsc5p_50 Flag for teachers w/ > 5 years beyond 12th grade, 1950

type: numeric (float)
label: impute
range: [0,1] units: 1
unique values: 2 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	319	0	Not imputed
	1	1	Imputed

f_tdi0_51 Flag for taught in district for < 1 year, 1951

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .. 0/320

tabulation:	Freq.	Numeric	Label
	320	0	Not imputed

f_tdi1_51	Flag for taught in district for 1 year, 1951
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_tdi2_51	Flag for taught in district for 2 years, 1951
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tdi3_51	Flag for taught in district for 3 years, 1951
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                   320       0   Not imputed

```

f_tdi4_51	Flag for taught in district for 4 years, 1951
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tdi5_51	Flag for taught in district for 5 years, 1951
-----------	---

```

      type:  numeric (float)
      label:  impute

      range:  [0,0]
      units:  1
unique values: 1
missing : 0/320

```

```
tabulation: Freq.   Numeric   Label
              320           0 Not imputed
```

```
-----
f_tdi5p_51                               Flag for taught in district for > 5 years, 1951
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex0_51                               Flag for < 1 year of teaching experience, 1951
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex1_51                               Flag for 1 year of teaching experience, 1951
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex2_51                               Flag for 2 years of teaching experience, 1951
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing .: 0/320

      tabulation: Freq.   Numeric   Label
                   320           0 Not imputed
```

```
-----
f_tex3_51                               Flag for 3 years of teaching experience, 1951
-----
```

```
      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
```

unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tex4_51 Flag for 4 years of teaching experience, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tex5_51 Flag for 5 years of teaching experience, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tex5p_51 Flag for > 5 years of teaching experience, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc0_51 Flag for teachers w/ < 1 year beyond 12th grade, 1951

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc1_51 Flag for teachers w/ 1 year beyond 12th grade, 1951

type: numeric (float)
label: impute

```
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc2_51 Flag for teachers w/ 2 years beyond 12th grade, 1951

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc3_51 Flag for teachers w/ 3 years beyond 12th grade, 1951

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc4_51 Flag for teachers w/ 4 years beyond 12th grade, 1951

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc5_51 Flag for teachers w/ 5 years beyond 12th grade, 1951

```
type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
             320      0 Not imputed
```

f_tsc5p_51 Flag for teachers w/ > 5 years beyond 12th grade, 1951

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tdi0_52                                     Flag for taught in district for < 1 year, 1952
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tdi1_52                                     Flag for taught in district for 1 year, 1952
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tdi2_52                                     Flag for taught in district for 2 years, 1952
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tdi3_52                                     Flag for taught in district for 3 years, 1952
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
        units: 1
        missing ..: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

```
-----
f_tdi4_52                                     Flag for taught in district for 4 years, 1952
-----
```


f_tex2_52	Flag for 2 years of teaching experience, 1952
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_tex3_52 Flag for 3 years of teaching experience, 1952

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_tex4_52 Flag for 4 years of teaching experience, 1952

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320       0   Not imputed

```

f_tex5_52	Flag for 5 years of teaching experience, 1952
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/320

      tabulation: Freq.   Numeric   Label
                  320         0   Not imputed

```

f_tex5p_52 Flag for > 5 years of teaching experience, 1952

```

      type: numeric (float)
      label: impute

      range: [0,0]          units: 1
unique values: 1          missing : 0/320

      tabulation: Freq.   Numeric   Label

```

320 0 Not imputed

f_tsc0_52 Flag for teachers w/ < 1 year beyond 12th grade, 1952

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc1_52 Flag for teachers w/ 1 year beyond 12th grade, 1952

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc2_52 Flag for teachers w/ 2 years beyond 12th grade, 1952

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc3_52 Flag for teachers w/ 3 years beyond 12th grade, 1952

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc4_52 Flag for teachers w/ 4 years beyond 12th grade, 1952

type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc5_52 Flag for teachers w/ 5 years beyond 12th grade, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tsc5p_52 Flag for teachers w/ > 5 years beyond 12th grade, 1952

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi0_53 Flag for taught in district for < 1 year, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi1_53 Flag for taught in district for 1 year, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi2_53 Flag for taught in district for 2 years, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi3_53 Flag for taught in district for 3 years, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi4_53 Flag for taught in district for 4 years, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi5_53 Flag for taught in district for 5 years, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tdi5p_53 Flag for taught in district for > 5 years, 1953

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/320

tabulation: Freq. Numeric Label
320 0 Not imputed

f_tex0_53 Flag for < 1 year of teaching experience, 1953

type: numeric (float)

```
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex1_53 Flag for 1 year of teaching experience, 1953

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex2_53 Flag for 2 years of teaching experience, 1953

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex3_53 Flag for 3 years of teaching experience, 1953

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex4_53 Flag for 4 years of teaching experience, 1953

```
type: numeric (float)
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/320
tabulation: Freq. Numeric Label
              320      0 Not imputed
```

f_tex5_53 Flag for 5 years of teaching experience, 1953

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

f_tex5p_53 Flag for > 5 years of teaching experience, 1953

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

f_tsc0_53 Flag for teachers w/ < 1 year beyond 12th grade, 1953

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

f_tsc1_53 Flag for teachers w/ 1 year beyond 12th grade, 1953

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

f_tsc2_53 Flag for teachers w/ 2 years beyond 12th grade, 1953

```

        type: numeric (float)
        label: impute

        range: [0,0]
        unique values: 1
                                units: 1
                                missing .: 0/320

        tabulation: Freq.   Numeric   Label
                     320         0   Not imputed

```

f_tsc3_53 Flag for teachers w/ 3 years beyond 12th grade, 1953

 type: numeric (float)
 label: impute

 range: [0,0] units: 1
unique values: 1 missing .: 0/320

 tabulation: Freq. Numeric Label
 320 0 Not imputed

f_tsc4_53 Flag for teachers w/ 4 years beyond 12th grade, 1953

 type: numeric (float)
 label: impute

 range: [0,0] units: 1
unique values: 1 missing .: 0/320

 tabulation: Freq. Numeric Label
 320 0 Not imputed

f_tsc5_53 Flag for teachers w/ 5 years beyond 12th grade, 1953

 type: numeric (float)
 label: impute

 range: [0,0] units: 1
unique values: 1 missing .: 0/320

 tabulation: Freq. Numeric Label
 320 0 Not imputed

f_tsc5p_53 Flag for teachers w/ > 5 years beyond 12th grade, 1953

 type: numeric (float)
 label: impute

 range: [0,0] units: 1
unique values: 1 missing .: 0/320

 tabulation: Freq. Numeric Label
 320 0 Not imputed

/*****
/* School district characteristics -- Secondary School/High School */
/*****
Data File: district_hs_user.dta or district_hs_user.sas7bdat

hscode Unique district identifier -- Secondary years

 type: numeric (double)

range: [1.022,71.07] units: .001
unique values: 280 missing .: 0/280

mean: 36.7509
std. dev: 20.907

percentiles:	10%	25%	50%	75%	90%
	9.055	16.055	37.065	55.055	66.035

enrol_54 Total enrollment, 1954

type: numeric (int)

range: [0,23214] units: 1
unique values: 218 missing .: 1/280

mean: 497.853
std. dev: 1459.24

percentiles:	10%	25%	50%	75%	90%
	116	160	242	415	819

enrol_55 Total enrollment, 1955

type: numeric (int)

range: [0,23633] units: 1
unique values: 211 missing .: 3/280

mean: 510.679
std. dev: 1491.17

percentiles:	10%	25%	50%	75%	90%
	117	164	257	426	870

enrol_56 Total enrollment, 1956

type: numeric (int)

range: [65,23489] units: 1
unique values: 224 missing .: 3/280

mean: 519.552
std. dev: 1482.83

percentiles:	10%	25%	50%	75%	90%
	121	169	267	438	872

enrol_57 Total enrollment, 1957

type: numeric (int)

range: [70,25376] units: 1
unique values: 220 missing .: 2/280


```

        mean:    545.194
      std. dev:  1599.46

percentiles:      10%      25%      50%      75%      90%
                  122      174      269.5    455      874

```

```

-----
open_54                                     Length of school year, 1954
-----

```

```

        type:    numeric (double)

        range:    [0,190]                units:    .1
unique values:    26                    missing .:  1/280

        mean:     174.634
      std. dev:   18.5075

percentiles:      10%      25%      50%      75%      90%
                  174      175      176      177      181

```

```

-----
open_55                                     Length of school year, 1955
-----

```

```

        type:    numeric (double)

        range:    [0,190]                units:    .1
unique values:    23                    missing .:  3/280

        mean:     173.809
      std. dev:   20.8888

percentiles:      10%      25%      50%      75%      90%
                  174      175      175      177      181

```

```

-----
open_56                                     Length of school year, 1956
-----

```

```

        type:    numeric (double)

        range:    [0,190]                units:    .1
unique values:    24                    missing .:  3/280

        mean:     174.72
      std. dev:   15.2651

percentiles:      10%      25%      50%      75%      90%
                  173      174      175      177      180

```

```

-----
open_57                                     Length of school year, 1957
-----

```

```

        type:    numeric (double)

        range:    [0,191]                units:    .1
unique values:    27                    missing .:  2/280

        mean:     174.264
      std. dev:   18.4998

```

percentiles:	10%	25%	50%	75%	90%
	174	175	175	177	180

attend_54

Average daily attendance, 1954

type: numeric (int)					
range:	[0,19931]	units: 1			
unique values:	211	missing .: 1/280			
mean:	450.43				
std. dev:	1261.13				
percentiles:	10%	25%	50%	75%	90%
	110	149	222	381	752

attend_55

Average daily attendance, 1955

type: numeric (double)					
range:	[0,20070]	units: .01			
unique values:	221	missing .: 3/280			
mean:	463.274				
std. dev:	1278.54				
percentiles:	10%	25%	50%	75%	90%
	107	152	233	388	801

attend_56

Average daily attendance, 1956

type: numeric (double)					
range:	[60,20162]	units: .00001			
unique values:	229	missing .: 3/280			
mean:	477.435				
std. dev:	1283.34				
percentiles:	10%	25%	50%	75%	90%
	112	155	246	409	823

attend_57

Average daily attendance, 1957

type: numeric (double)					
range:	[9,21166]	units: 1			
unique values:	215	missing .: 2/280			
mean:	494.629				
std. dev:	1349.81				
percentiles:	10%	25%	50%	75%	90%
	114	159	247.5	419	840

dis_54 Days closed for disease, 1954

type: numeric (double)
range: [0,2.5] units: .1
unique values: 3 missing .: 1/280
tabulation: Freq. Value
276 0
2 1
1 2.5
1 .

dis_55 Days closed for disease, 1955

type: numeric (byte)
range: [0,5] units: 1
unique values: 5 missing .: 3/280
tabulation: Freq. Value
266 0
8 1
1 3
1 4
1 5
3 .

dis_56 Days closed for disease, 1956

type: numeric (double)
range: [0,14] units: .1
unique values: 10 missing .: 3/280
mean: .467509
std. dev: 1.58195
percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

dis_57 Days closed for disease, 1957

type: numeric (byte)
range: [0,5] units: 1
unique values: 5 missing .: 2/280
tabulation: Freq. Value
272 0
3 1
1 3
1 4
1 5
2 .

sal_54Total salary, 1954

type: numeric (double)

range:	[0,4809976]	units:	.001		
unique values:	279	missing .:	1/280		
mean:	93709.9				
std. dev:	303456				
percentiles:	10%	25%	50%	75%	90%
	22029.3	31200	42072.7	70273.6	140410

sal_55Total salary, 1955

type: numeric (double)

range:	[0,4861700.5]	units:	.01		
unique values:	275	missing .:	3/280		
mean:	99019.2				
std. dev:	309149				
percentiles:	10%	25%	50%	75%	90%
	25488.3	32984.1	45017.2	76589.9	146426

sal_56Total salary, 1956

type: numeric (double)

range:	[17351.33,5013354]	units:	.0001		
unique values:	277	missing .:	3/280		
mean:	105190				
std. dev:	318560				
percentiles:	10%	25%	50%	75%	90%
	26819	36816.9	49198.8	83726.6	164981

sal_57Total salary, 1957

type: numeric (double)

range:	[17777.08,5460555]	units:	.001		
unique values:	278	missing .:	2/280		
mean:	116124				
std. dev:	348387				
percentiles:	10%	25%	50%	75%	90%
	29295.5	38598.6	53757.2	92765.1	184910

expen_54Expenses on instruction, 1954

```

-----
                type:  numeric (double)

                range:  [0,5315864]                units:  .0001
unique values:  279                                missing .:  1/280

                mean:   110033
                std. dev: 337732

                percentiles:      10%      25%      50%      75%      90%
                                27705.7  37596.9  50721.6  84862.9  168476
-----

```

```

-----
expen_55                                           Expenses on instruction, 1955
-----

```

```

                type:  numeric (double)

                range:  [0,5420356.4]            units:  .001
unique values:  275                                missing .:  3/280

                mean:   116206
                std. dev: 346611

                percentiles:      10%      25%      50%      75%      90%
                                29780.7  39580.8  54633.6  92460.2  182852
-----

```

```

-----
expen_56                                           Expenses on instruction, 1956
-----

```

```

                type:  numeric (double)

                range:  [19763.85,5639108]        units:  .01
unique values:  277                                missing .:  3/280

                mean:   124421
                std. dev: 360101

                percentiles:      10%      25%      50%      75%      90%
                                32643.8  44048.2  60624.1  100756  195672
-----

```

```

-----
expen_57                                           Expenses on instruction, 1957
-----

```

```

                type:  numeric (double)

                range:  [20806.25,6190115]        units:  .001
unique values:  278                                missing .:  2/280

                mean:   137182
                std. dev: 396475

                percentiles:      10%      25%      50%      75%      90%
                                34817.8  47202.5  66142.8  112033  221482
-----

```

```

-----
expup_54                                           Expenditures per pupil, 1954
-----

```

```

                type:  numeric (double)

```

range:	[0,550.44]	units:	.01
unique values:	278	missing .:	1/280
mean:	217.507		
std. dev:	42.0926		

percentiles:	10%	25%	50%	75%	90%
	175.05	192	212.11	236.6	263.93

expup_55	Expenditures per pupil, 1955
----------	------------------------------

type:	numeric (double)
range:	[0,588.98]
unique values:	271
mean:	227.036
std. dev:	48.3804

percentiles:	10%	25%	50%	75%	90%
	182.31	200.06	226.66	255.07	275.31

expup_56	Expenditures per pupil, 1956
----------	------------------------------

type:	numeric (double)
range:	[161.33,580.27]
unique values:	271
mean:	240.882
std. dev:	41.1378

percentiles:	10%	25%	50%	75%	90%
	199.87	214.23	233.05	260.93	286.19

expup_57	Expenditures per pupil, 1957
----------	------------------------------

type:	numeric (double)
range:	[141.99,582.55]
unique values:	278
mean:	255.557
std. dev:	43.0357

percentiles:	10%	25%	50%	75%	90%
	210.26	228.86	248.64	277.65	311.39

tforcel_54	Size of teaching force 1, 1954
------------	--------------------------------

type:	numeric (double)
range:	[0,920.5]
unique values:	183
mean:	
std. dev:	

units:	.01
missing .:	1/280

```

        mean: 22.6559
      std. dev: 58.1485

percentiles:    10%    25%    50%    75%    90%
                7.05    9.35   12.25   19.46   37.15

```

```

-----
tforce1_55                                           Size of teaching force 1, 1955
-----

```

```

        type: numeric (double)

        range: [0,935.5]          units: .01
unique values: 193                missing .: 3/280

        mean: 23.2532
      std. dev: 59.3576

percentiles:    10%    25%    50%    75%    90%
                7.25    9.25   12.47    20    37

```

```

-----
tforce1_56                                           Size of teaching force 1, 1956
-----

```

```

        type: numeric (double)

        range: [4.7,970]          units: .01
unique values: 206                missing .: 3/280

        mean: 23.9714
      std. dev: 61.3015

percentiles:    10%    25%    50%    75%    90%
                7.5    9.8    12.95    21    41

```

```

-----
tforce1_57                                           Size of teaching force 1, 1957
-----

```

```

        type: numeric (double)

        range: [5.25,1030]        units: .01
unique values: 199                missing .: 2/280

        mean: 25.0563
      std. dev: 65.2073

percentiles:    10%    25%    50%    75%    90%
                7.7    10    13.475   21.65   40

```

```

-----
tforce2_54                                           Size of teaching force 2, 1954
-----

```

```

        type: numeric (double)

        range: [0,909.5]          units: .01
unique values: 93                missing .: 1/280

        mean: 22.0203
      std. dev: 57.2231

```

percentiles:	10%	25%	50%	75%	90%
	7	9	12	19	34.5

tforce2_55	Size of teaching force 2, 1955
------------	--------------------------------

type:	numeric (double)				
range:	[0,896.5]	units:	.01		
unique values:	101	missing .:	3/280		
mean:	22.4249				
std. dev:	56.8192				
percentiles:	10%	25%	50%	75%	90%
	7	9	12	20	36

tforce2_56	Size of teaching force 2, 1956
------------	--------------------------------

type:	numeric (double)				
range:	[5,922]	units:	.01		
unique values:	101	missing .:	3/280		
mean:	23.0772				
std. dev:	58.304				
percentiles:	10%	25%	50%	75%	90%
	7	9	13	20	38

tforce2_57	Size of teaching force 2, 1957
------------	--------------------------------

type:	numeric (double)				
range:	[4.5,997]	units:	.01		
unique values:	118	missing .:	2/280		
mean:	24.1839				
std. dev:	62.9226				
percentiles:	10%	25%	50%	75%	90%
	7.5	10	13	21.33	39

tsall_54	Average teacher salary 1, 1954
----------	--------------------------------

type:	numeric (double)				
range:	[0,5656.98]	units:	.01		
unique values:	278	missing .:	1/280		
mean:	3531.09				
std. dev:	590.661				
percentiles:	10%	25%	50%	75%	90%
	2992.08	3216.04	3465.67	3703.97	4260.21


```

-----
                type:  numeric (double)

                range:  [0,6335.52]                units:  .01
unique values:  275                                missing .:  3/280

                mean:   3833.73
                std. dev: 679.004

percentiles:      10%      25%      50%      75%      90%
                  3316    3546.63  3772.98  4058.53  4505.29

```

```

-----
tsal2_56                                Average teacher salary 2, 1956
-----

```

```

                type:  numeric (double)

                range:  [2478.76,6710.33]          units:  .01
unique values:  276                                missing .:  3/280

                mean:   4025.95
                std. dev: 578.211

percentiles:      10%      25%      50%      75%      90%
                  3474.36  3718.02  3932.95  4212.97  4732.58

```

```

-----
tsal2_57                                Average teacher salary 2, 1957
-----

```

```

                type:  numeric (double)

                range:  [2539.58,6812.13]          units:  .01
unique values:  278                                missing .:  2/280

                mean:   4274.31
                std. dev: 571.621

percentiles:      10%      25%      50%      75%      90%
                  3687.09  3906.29  4205.83  4492.87  5030

```

```

-----
ptrat1_54                               Pupil-teacher ratio 1, 1954
-----

```

```

                type:  numeric (double)

                range:  [0,30.54]                  units:  .01
unique values:  243                                missing .:  1/280

                mean:   19.8368
                std. dev: 3.62797

percentiles:      10%      25%      50%      75%      90%
                  15.11    17.56    20      22.26    23.96

```

```

-----
ptrat1_55                               Pupil-teacher ratio 1, 1955
-----

```

```

                type:  numeric (double)

```

range:	[0,29.32]	units:	.01
unique values:	244	missing .:	3/280
mean:	19.8001		
std. dev:	3.67203		

percentiles:	10%	25%	50%	75%	90%
	15.77	17.77	20	22.09	23.89

ptrat1_56	Pupil-teacher ratio 1, 1956
-----------	-----------------------------

type:	numeric (double)
range:	[10.49,27.59]
unique values:	245
mean:	19.8974
std. dev:	3.19891

percentiles:	10%	25%	50%	75%	90%
	15.47	17.66	20.19	21.98	24

ptrat1_57	Pupil-teacher ratio 1, 1957
-----------	-----------------------------

type:	numeric (double)
range:	[10.3,31.22]
unique values:	242
mean:	19.8766
std. dev:	3.33126

percentiles:	10%	25%	50%	75%	90%
	15.56	17.65	20.1	22.11	24.01

ptrat2_54	Pupil-teacher ratio 2, 1954
-----------	-----------------------------

type:	numeric (double)
range:	[0,31.34]
unique values:	238
mean:	20.4895
std. dev:	3.7863

percentiles:	10%	25%	50%	75%	90%
	15.56	18.12	20.56	23	25.3

ptrat2_55	Pupil-teacher ratio 2, 1955
-----------	-----------------------------

type:	numeric (double)
range:	[0,29.85]
unique values:	236
mean:	
std. dev:	

units:	.01
missing .:	3/280

```

      mean:      20.587
    std. dev:    3.68319

percentiles:      10%      25%      50%      75%      90%
                  16      18.2     20.47    23.12    25.37

```

```

-----
ptrat2_56                                     Pupil-teacher ratio 2, 1956
-----

```

```

      type:  numeric (double)

      range:  [9.6,28.67]          units:  .01
unique values: 231                missing .:  3/280

      mean:  20.5568
    std. dev: 3.40169

percentiles:      10%      25%      50%      75%      90%
                  16      18.45    20.74    22.95    24.88

```

```

-----
ptrat2_57                                     Pupil-teacher ratio 2, 1957
-----

```

```

      type:  numeric (double)

      range:  [10.3,32.9]         units:  .01
unique values: 237                missing .:  2/280

      mean:  20.5449
    std. dev: 3.60863

percentiles:      10%      25%      50%      75%      90%
                  15.75    18.23    20.75    22.9     25.02

```

```

-----
tdi0_54                                     Taught in district for < 1 year, 1954
-----

```

```

      type:  numeric (double)

      range:  [0,28]              units:  .01
unique values: 14                missing .:  1/280

      mean:  .485197
    std. dev: 1.91603

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        1

```

```

-----
tdi0_55                                     Taught in district for < 1 year, 1955
-----

```

```

      type:  numeric (double)

      range:  [0,32]              units:  .1
unique values: 10                missing .:  3/280

      mean:  .432491
    std. dev: 2.0316

```

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tdi0_56 Taught in district for < 1 year, 1956

type: numeric (double)

range:	[0,54.5]	units:	.01
unique values:	15	missing .:	3/280
mean:	.60639		
std. dev:	3.39499		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	.4	1

tdi0_57 Taught in district for < 1 year, 1957

type: numeric (double)

range:	[0,71.5]	units:	.01
unique values:	13	missing .:	2/280
mean:	.533633		
std. dev:	4.31439		

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tdi1_54 Taught in district for 1 year, 1954

type: numeric (double)

range:	[0,46]	units:	.01
unique values:	36	missing .:	1/280
mean:	4.04659		
std. dev:	3.76949		

percentiles:	10%	25%	50%	75%	90%
	1	2	3	5	8

tdi1_55 Taught in district for 1 year, 1955

type: numeric (double)

range:	[0,45.5]	units:	.01
unique values:	38	missing .:	3/280
mean:	3.84578		
std. dev:	3.72296		

percentiles:	10%	25%	50%	75%	90%
	1	2	3	5	7

tdi1_56 Taught in district for 1 year, 1956

type: numeric (double)
range: [0,37.5] units: .01
unique values: 42 missing .. 3/280
mean: 3.93451
std. dev: 3.5476
percentiles: 10% 25% 50% 75% 90%
1 2 3 5 7

tdi1_57 Taught in district for 1 year, 1957

type: numeric (double)
range: [0,63.5] units: .01
unique values: 58 missing .. 2/280
mean: 4.44558
std. dev: 4.89729
percentiles: 10% 25% 50% 75% 90%
1 2 3 5 9

tdi2_54 Taught in district for 2 years, 1954

type: numeric (double)
range: [0,41.5] units: .01
unique values: 26 missing .. 1/280
mean: 2.64201
std. dev: 3.16734
percentiles: 10% 25% 50% 75% 90%
0 1 2 3 5

tdi2_55 Taught in district for 2 years, 1955

type: numeric (double)
range: [0,41] units: .01
unique values: 30 missing .. 3/280
mean: 2.92505
std. dev: 3.38729
percentiles: 10% 25% 50% 75% 90%
0 1 2 4 6

tdi2_56 Taught in district for 2 years, 1956

```
-----
                type:  numeric (double)

                range:  [0,56.5]                units:  .01
unique values:  30                                missing .:  3/280

                mean:   2.81798
                std. dev: 3.98282

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        3.5      5
-----
```

```
-----
tdi2_57                                Taught in district for 2 years, 1957
-----
```

```
                type:  numeric (double)

                range:  [0,49.5]                units:  .01
unique values:  35                                missing .:  2/280

                mean:   3.00324
                std. dev: 3.66229

percentiles:      10%      25%      50%      75%      90%
                  0        1        2        4        6
-----
```

```
-----
tdi3_54                                Taught in district for 3 years, 1954
-----
```

```
                type:  numeric (double)

                range:  [0,38]                  units:  .01
unique values:  19                                missing .:  1/280

                mean:   1.78935
                std. dev: 2.68173

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        4
-----
```

```
-----
tdi3_55                                Taught in district for 3 years, 1955
-----
```

```
                type:  numeric (double)

                range:  [0,35]                  units:  .01
unique values:  23                                missing .:  3/280

                mean:   1.79181
                std. dev: 2.60174

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        4
-----
```

```
-----
tdi3_56                                Taught in district for 3 years, 1956
-----
```

```
                type:  numeric (double)
```

range: [0,32] units: .01
unique values: 25 missing .: 3/280

mean: 2.03375
std. dev: 2.56034

percentiles:	10%	25%	50%	75%	90%
	0	1	1.4	3	4

tdi3_57 Taught in district for 3 years, 1957

type: numeric (double)

range: [0,48] units: .01
unique values: 32 missing .: 2/280

mean: 2.00201
std. dev: 3.44659

percentiles:	10%	25%	50%	75%	90%
	0	.33	1	2.17	4

tdi4_54 Taught in district for 4 years, 1954

type: numeric (double)

range: [0,21.5] units: .01
unique values: 18 missing .: 1/280

mean: .975054
std. dev: 1.7842

percentiles:	10%	25%	50%	75%	90%
	0	0	0	1	3

tdi4_55 Taught in district for 4 years, 1955

type: numeric (double)

range: [0,30.5] units: .01
unique values: 16 missing .: 3/280

mean: 1.28599
std. dev: 2.21225

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tdi4_56 Taught in district for 4 years, 1956

type: numeric (double)

range: [0,30] units: .01
unique values: 16 missing .: 3/280


```
      mean: 1.34567
    std. dev: 2.2577

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3
```

```
-----
tdi4_57                                     Taught in district for 4 years, 1957
-----
```

```
      type: numeric (double)

      range: [0,28.5]          units: .01
unique values: 26              missing .: 2/280

      mean: 1.49626
    std. dev: 2.39762

percentiles:      10%      25%      50%      75%      90%
                  0        0        1        2        3
```

```
-----
tdi5_54                                     Taught in district for 5 years, 1954
-----
```

```
      type: numeric (double)

      range: [0,28.5]          units: .01
unique values: 17              missing .: 1/280

      mean: .883763
    std. dev: 1.98184

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
```

```
-----
tdi5_55                                     Taught in district for 5 years, 1955
-----
```

```
      type: numeric (double)

      range: [0,28]           units: .01
unique values: 17              missing .: 3/280

      mean: .845993
    std. dev: 1.96575

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        1        2
```

```
-----
tdi5_56                                     Taught in district for 5 years, 1956
-----
```

```
      type: numeric (double)

      range: [0,26]           units: .01
unique values: 16              missing .: 3/280

      mean: .993935
    std. dev: 1.92493
```

percentiles:	10%	25%	50%	75%	90%
	0	0	1	1	3

tdi5_57	Taught in district for 5 years, 1957
---------	--------------------------------------

```

type: numeric (double)

range: [0,40]          units: .01
unique values: 17      missing .: 2/280

mean: 1.08522
std. dev: 2.65745

```

percentiles:	10%	25%	50%	75%	90%
	0	0	1	1	3

tdi5p_54	Taught in district for > 5 years, 1954
----------	--

```

type: numeric (double)

range: [0,706]        units: .01
unique values: 68      missing .: 1/280

mean: 11.1948
std. dev: 44.7469

```

percentiles:	10%	25%	50%	75%	90%
	0	2	3.25	7.25	18.5

tdi5p_55	Taught in district for > 5 years, 1955
----------	--

```

type: numeric (double)

range: [0,684.5]      units: .01
unique values: 66      missing .: 3/280

mean: 11.2942
std. dev: 43.5999

```

percentiles:	10%	25%	50%	75%	90%
	1	2	4	8	18

tdi5p_56	Taught in district for > 5 years, 1956
----------	--

```

type: numeric (double)

range: [0,685.5]      units: .01
unique values: 69      missing .: 3/280

mean: 11.354
std. dev: 43.5831

```

percentiles:	10%	25%	50%	75%	90%
	1	2	4	8	20

tdi5p_57 Taught in district for > 5 years, 1957

type: numeric (double)

range: [0,696] units: .01
unique values: 73 missing .. 2/280

mean: 11.5955
std. dev: 44.3753

percentiles: 10% 25% 50% 75% 90%
1 2 4 8 19

tex0_54 < 1 year of teaching experience, 1954

type: numeric (double)

range: [0,15] units: .01
unique values: 10 missing .. 1/280

mean: .263692
std. dev: 1.05143

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

tex0_55 < 1 year of teaching experience, 1955

type: numeric (double)

range: [0,11.5] units: .01
unique values: 10 missing .. 3/280

mean: .294801
std. dev: 1.09569

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

tex0_56 < 1 year of teaching experience, 1956

type: numeric (double)

range: [0,32.5] units: .01
unique values: 9 missing .. 3/280

tabulation: Freq. Value
229 0
2 .5
33 1
1 1.75
3 2
1 2.5
4 3

3 4
1 32.5
3 .

tex0_57 < 1 year of teaching experience, 1957

type: numeric (double)

range: [0,44.5] units: .01
unique values: 12 missing.: 2/280

mean: .345755
std. dev: 2.72284

percentiles: 10% 25% 50% 75% 90%
0 0 0 0 1

tex1_54 1 year of teaching experience, 1954

type: numeric (double)

range: [0,19] units: .01
unique values: 18 missing.: 1/280

mean: 1.73022
std. dev: 1.85831

percentiles: 10% 25% 50% 75% 90%
0 .5 1 2.95 4

tex1_55 1 year of teaching experience, 1955

type: numeric (double)

range: [0,26.5] units: .01
unique values: 19 missing.: 3/280

mean: 1.62599
std. dev: 2.1191

percentiles: 10% 25% 50% 75% 90%
0 0 1 2 4

tex1_56 1 year of teaching experience, 1956

type: numeric (double)

range: [0,22] units: .01
unique values: 25 missing.: 3/280

mean: 1.77004
std. dev: 2.01752

percentiles: 10% 25% 50% 75% 90%
0 .6 1 2 4

tex1_57 1 year of teaching experience, 1957

type: numeric (double)

range: [0,37] units: .01
unique values: 30 missing .. 2/280

mean: 2.04378
std. dev: 2.66544

percentiles: 10% 25% 50% 75% 90%
0 1 2 3 4

tex2_54 2 years of teaching experience, 1954

type: numeric (double)

range: [0,33] units: .01
unique values: 22 missing .. 1/280

mean: 1.76595
std. dev: 2.39752

percentiles: 10% 25% 50% 75% 90%
0 1 1 2 4

tex2_55 2 years of teaching experience, 1955

type: numeric (double)

range: [0,26.5] units: .01
unique values: 21 missing .. 3/280

mean: 1.6656
std. dev: 2.11391

percentiles: 10% 25% 50% 75% 90%
0 0 1 2 4

tex2_56 2 years of teaching experience, 1956

type: numeric (double)

range: [0,31.5] units: .01
unique values: 20 missing .. 3/280

mean: 1.49531
std. dev: 2.2847

percentiles: 10% 25% 50% 75% 90%
0 0 1 2 3

tex2_57 2 years of teaching experience, 1957

```
-----
                type:  numeric (double)

                range:  [0,35.5]                units:  .01
unique values:  29                                missing .:  2/280

                mean:   1.77493
                std. dev: 2.52262

percentiles:           10%           25%           50%           75%           90%
                      0             .6             1             2             4
-----
```

```
-----
tex3_54                                3 years of teaching experience, 1954
-----
```

```
                type:  numeric (double)

                range:  [0,37]                units:  .01
unique values:  19                                missing .:  1/280

                mean:   1.67068
                std. dev: 2.60665

percentiles:           10%           25%           50%           75%           90%
                      0             0             1             2             4
-----
```

```
-----
tex3_55                                3 years of teaching experience, 1955
-----
```

```
                type:  numeric (double)

                range:  [0,27]                units:  .01
unique values:  19                                missing .:  3/280

                mean:   1.58032
                std. dev: 2.06387

percentiles:           10%           25%           50%           75%           90%
                      0             0             1             2             3
-----
```

```
-----
tex3_56                                3 years of teaching experience, 1956
-----
```

```
                type:  numeric (double)

                range:  [0,37.5]                units:  .01
unique values:  24                                missing .:  3/280

                mean:   1.48274
                std. dev: 2.56466

percentiles:           10%           25%           50%           75%           90%
                      0             0             1             2             3
-----
```

```
-----
tex3_57                                3 years of teaching experience, 1957
-----
```

```
                type:  numeric (double)
```

range: [0,34.5] units: .01
unique values: 24 missing .. 2/280

mean: 1.4595
std. dev: 2.44534

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tex4_54 4 years of teaching experience, 1954

type: numeric (double)

range: [0,31.5] units: .01
unique values: 17 missing .. 1/280

mean: 1.49355
std. dev: 2.3452

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tex4_55 4 years of teaching experience, 1955

type: numeric (double)

range: [0,38.5] units: .01
unique values: 16 missing .. 3/280

mean: 1.44058
std. dev: 2.63372

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tex4_56 4 years of teaching experience, 1956

type: numeric (double)

range: [0,31] units: .01
unique values: 24 missing .. 3/280

mean: 1.37903
std. dev: 2.27637

percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tex4_57 4 years of teaching experience, 1957

type: numeric (double)

range: [0,35] units: .01
unique values: 23 missing .. 2/280

```

      mean: 1.17953
    std. dev: 2.3828

percentiles:    10%    25%    50%    75%    90%
                0      0      1     1.6     3

```

```

-----
tex5_54                                     5 years of teaching experience, 1954
-----

```

```

      type: numeric (double)

      range: [0,26]          units: .01
unique values: 18          missing .: 1/280

      mean: 1.17857
    std. dev: 1.98225

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      3

```

```

-----
tex5_55                                     5 years of teaching experience, 1955
-----

```

```

      type: numeric (double)

      range: [0,36]          units: .01
unique values: 20          missing .: 3/280

      mean: 1.40404
    std. dev: 2.54107

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      3

```

```

-----
tex5_56                                     5 years of teaching experience, 1956
-----

```

```

      type: numeric (double)

      range: [0,32]          units: .01
unique values: 23          missing .: 3/280

      mean: 1.43408
    std. dev: 2.31009

percentiles:    10%    25%    50%    75%    90%
                0      0      1      2      3

```

```

-----
tex5_57                                     5 years of teaching experience, 1957
-----

```

```

      type: numeric (double)

      range: [0,36.5]        units: .01
unique values: 20          missing .: 2/280

      mean: 1.20327
    std. dev: 2.4147

```


percentiles:	10%	25%	50%	75%	90%
	0	0	1	2	3

tex5p_54 > 5 years of teaching experience, 1954

type: numeric (double)

range:	[0,748]	units:	.01
unique values:	79	missing .:	1/280
mean:	13.9213		
std. dev:	47.6494		

percentiles:	10%	25%	50%	75%	90%
	2	3	5	10	23

tex5p_55 > 5 years of teaching experience, 1955

type: numeric (double)

range:	[0,730.5]	units:	.01
unique values:	78	missing .:	3/280
mean:	14.4064		
std. dev:	46.9106		

percentiles:	10%	25%	50%	75%	90%
	2	3.5	6	10.89	24

tex5p_56 > 5 years of teaching experience, 1956

type: numeric (double)

range:	[0,735.5]	units:	.01
unique values:	83	missing .:	3/280
mean:	15.1492		
std. dev:	47.217		

percentiles:	10%	25%	50%	75%	90%
	2	4	6.9	11	27

tex5p_57 > 5 years of teaching experience, 1957

type: numeric (double)

range:	[0,774]	units:	.01
unique values:	96	missing .:	2/280
mean:	16.1816		
std. dev:	49.8147		

percentiles:	10%	25%	50%	75%	90%
	3	4.5	7.1	12	27.87

tsc0_54 Teachers w/ < 1 year beyond 12th grade, 1954

type: numeric (double)
range: [0,4] units: .01
unique values: 6 missing ..: 1/280
tabulation: Freq. Value
272 0
1 .44
1 .7
1 .8
3 1
1 4
1 .

tsc0_55 Teachers w/ < 1 year beyond 12th grade, 1955

type: numeric (double)
range: [0,4] units: 1
unique values: 3 missing ..: 3/280
tabulation: Freq. Value
271 0
5 1
1 4
3 .

tsc0_56 Teachers w/ < 1 year beyond 12th grade, 1956

type: numeric (double)
range: [0,4] units: .1
unique values: 4 missing ..: 3/280
tabulation: Freq. Value
273 0
1 .6
2 1
1 4
3 .

tsc0_57 Teachers w/ < 1 year beyond 12th grade, 1957

type: numeric (double)
range: [0,2] units: .1
unique values: 4 missing ..: 2/280
tabulation: Freq. Value
274 0
1 .6
2 1

1 2
2 .

tsc1_54 Teachers w/ 1 year beyond 12th grade, 1954

type: numeric (double)

range: [0,3] units: .1
unique values: 4 missing .: 1/280

tabulation: Freq. Value
275 0
1 .9
2 1
1 3
1 .

tsc1_55 Teachers w/ 1 year beyond 12th grade, 1955

type: numeric (byte)

range: [0,4] units: 1
unique values: 4 missing .: 3/280

tabulation: Freq. Value
270 0
5 1
1 2
1 4
3 .

tsc1_56 Teachers w/ 1 year beyond 12th grade, 1956

type: numeric (byte)

range: [0,4] units: 1
unique values: 4 missing .: 3/280

tabulation: Freq. Value
270 0
4 1
1 2
2 4
3 .

tsc1_57 Teachers w/ 1 year beyond 12th grade, 1957

type: numeric (double)

range: [0,3] units: .01
unique values: 4 missing .: 2/280

tabulation: Freq. Value
271 0
1 .25

5 1
1 3
2 .

tsc2_54 Teachers w/ 2 years beyond 12th grade, 1954

type: numeric (double)
range: [0,13] units: .01
unique values: 9 missing .: 1/280

tabulation: Freq. Value
251 0
1 .2
1 .25
1 .3
2 .5
20 1
1 2
1 2.6
1 13
1 .

tsc2_55 Teachers w/ 2 years beyond 12th grade, 1955

type: numeric (double)
range: [0,8] units: .01
unique values: 8 missing .: 3/280

tabulation: Freq. Value
258 0
1 .2
1 .75
1 .8
1 .9
13 1
1 2
1 8
3 .

tsc2_56 Teachers w/ 2 years beyond 12th grade, 1956

type: numeric (double)
range: [0,7] units: .01
unique values: 8 missing .: 3/280

tabulation: Freq. Value
259 0
1 .5
1 .75
11 1
2 2
1 4
1 5.5
1 7

tsc2_57 Teachers w/ 2 years beyond 12th grade, 1957

```

      type:  numeric (double)

      range:  [0,7]                units:  .1
unique values: 6                missing .:  2/280

      tabulation:  Freq.  Value
                   261    0
                   1     .6
                   13    1
                   1     2
                   1     3
                   1     7
                   2     .

```

tsc3_54 Teachers w/ 3 years beyond 12th grade, 1954

```

      type:  numeric (double)

      range:  [0,13]              units:  .01
unique values: 9                missing .:  1/280

      tabulation:  Freq.  Value
                   211    0
                   1     .25
                   1     .33
                   51    1
                   1    1.5
                   7     2
                   4     3
                   1     6
                   2    13
                   1     .

```

tsc3_55 Teachers w/ 3 years beyond 12th grade, 1955

```

      type:  numeric (double)

      range:  [0,13]              units:  .01
unique values: 14                missing .:  3/280

      mean:    .35148
      std. dev: 1.20748

      percentiles:    10%    25%    50%    75%    90%
                     0      0      0      0      1

```

tsc3_56 Teachers w/ 3 years beyond 12th grade, 1956

```

      type:  numeric (double)

      range:  [0,14]              units:  .1

```

unique values: 18 missing .: 3/280

mean: .513357
std. dev: 1.68011

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc3_57 Teachers w/ 3 years beyond 12th grade, 1957

type: numeric (double)

range:	[0,45]	units:	.01
unique values:	15	missing .:	2/280

mean: .700647
std. dev: 3.77869

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	1

tsc4_54 Teachers w/ 4 years beyond 12th grade, 1954

type: numeric (double)

range:	[0,300.5]	units:	.01
unique values:	76	missing .:	1/280

mean: 12.7542
std. dev: 19.512

percentiles:	10%	25%	50%	75%	90%
	5	7	9.8	13	22

tsc4_55 Teachers w/ 4 years beyond 12th grade, 1955

type: numeric (double)

range:	[0,309]	units:	.01
unique values:	81	missing .:	3/280

mean: 12.9665
std. dev: 19.9694

percentiles:	10%	25%	50%	75%	90%
	5	7	10	13	22

tsc4_56 Teachers w/ 4 years beyond 12th grade, 1956

type: numeric (double)

range:	[0,307]	units:	.01
unique values:	79	missing .:	3/280

mean: 13.0944

std. dev: 19.6645

percentiles:	10%	25%	50%	75%	90%
	5	7	10	13.05	23

tsc4_57 Teachers w/ 4 years beyond 12th grade, 1957

type: numeric (double)

range:	[0,345.5]	units:	.01
unique values:	100	missing .:	2/280
mean:	14.3085		
std. dev:	22.6226		

percentiles:	10%	25%	50%	75%	90%
	5	7.5	10	15	24

tsc5_54 Teachers w/ 5 years beyond 12th grade, 1954

type: numeric (double)

range:	[0,339.5]	units:	.01
unique values:	43	missing .:	1/280
mean:	6.86211		
std. dev:	23.1592		

percentiles:	10%	25%	50%	75%	90%
	0	1	2	5	12

tsc5_55 Teachers w/ 5 years beyond 12th grade, 1955

type: numeric (double)

range:	[0,335]	units:	.01
unique values:	53	missing .:	3/280
mean:	7.22686		
std. dev:	23.2273		

percentiles:	10%	25%	50%	75%	90%
	0	1	2	5	13.6

tsc5_56 Teachers w/ 5 years beyond 12th grade, 1956

type: numeric (double)

range:	[0,341]	units:	.01
unique values:	53	missing .:	3/280
mean:	7.21617		
std. dev:	23.8465		

percentiles:	10%	25%	50%	75%	90%
--------------	-----	-----	-----	-----	-----

	0	1	2	5.5	12

tsc5_57	Teachers w/ 5 years beyond 12th grade, 1957				

type:	numeric (double)				
range:	[0,353.5]	units: .01			
unique values:	57	missing .: 2/280			
mean:	7.24014				
std. dev:	24.1702				
percentiles:	10%	25%	50%	75%	90%
	0	1	2	6	13

tsc5p_54	Teachers w/ > 5 years beyond 12th grade, 1954				

type:	numeric (double)				
range:	[0,236.5]	units: .01			
unique values:	22	missing .: 1/280			
mean:	1.81176				
std. dev:	14.8628				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	2

tsc5p_55	Teachers w/ > 5 years beyond 12th grade, 1955				

type:	numeric (double)				
range:	[0,223.5]	units: .01			
unique values:	19	missing .: 3/280			
mean:	1.71166				
std. dev:	14.0531				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	2

tsc5p_56	Teachers w/ > 5 years beyond 12th grade, 1956				

type:	numeric (double)				
range:	[0,252.5]	units: .01			
unique values:	23	missing .: 3/280			
mean:	2.05581				
std. dev:	15.9846				
percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	2

tsc5p_57 Teachers w/ > 5 years beyond 12th grade, 1957

```
-----
type: numeric (double)

range: [0,277]          units: .01
unique values: 20      missing ..: 2/280

mean: 1.79705
std. dev: 16.7943

percentiles:      10%      25%      50%      75%      90%
                  0        0        0        0        2
-----
```

b9_54 # of boys enrolled in 9th grade, 1954

```
-----
type: numeric (double)

range: [0,2980]        units: .1
unique values: 103     missing ..: 1/280

mean: 66.6147
std. dev: 187.066

percentiles:      10%      25%      50%      75%      90%
                  15       23       34       57      113
-----
```

g9_54 # of girls enrolled in 9th grade, 1954

```
-----
type: numeric (double)

range: [0,2869]        units: .1
unique values: 100     missing ..: 1/280

mean: 64.5323
std. dev: 180.832

percentiles:      10%      25%      50%      75%      90%
                  15       22       33       59      115
-----
```

t9_54 Total 9th grade enrollment, 1954

```
-----
type: numeric (int)

range: [0,5849]        units: 1
unique values: 136     missing ..: 1/280

mean: 131.147
std. dev: 367.765

percentiles:      10%      25%      50%      75%      90%
                  30       45       67      113      223
-----
```

bgrad_57 # of male graduates, 1957

```

type: numeric (int)

range: [0,1953]          units: 1
unique values: 94        missing .: 3/280

mean: 52.0469
std. dev: 126.404

percentiles:      10%      25%      50%      75%      90%
                  13       19       28       46       89

```

```

-----
ggrad_57                                     # of female graduates, 1957
-----

```

```

type: numeric (int)

range: [0,2109]          units: 1
unique values: 96        missing .: 3/280

mean: 53.8231
std. dev: 136.781

percentiles:      10%      25%      50%      75%      90%
                  13       18       28       45       95

```

```

-----
tgrad_57                                     Total # of graduates, 1957
-----

```

```

type: numeric (int)

range: [0,4062]          units: 1
unique values: 124       missing .: 3/280

mean: 105.87
std. dev: 263.007

percentiles:      10%      25%      50%      75%      90%
                  26       37       56       91      183

```

```

-----
brate_57                                     Male graduation rate, 1957
-----

```

```

type: numeric (double)

range: [0,1.73]          units: .01
unique values: 60        missing .: 6/280

mean: .812153
std. dev: .165917

percentiles:      10%      25%      50%      75%      90%
                  .64      .72      .81      .9       1

```

```

-----
grate_57                                     Female graduation rate, 1957
-----

```

```

type: numeric (double)

range: [0,1.54]          units: .01

```

```

      mean:      .832409
std. dev:      .139155

```

```
percentiles:      10%      25%      50%      75%      90%
                  .68      .76      .835     .91      1
```

| trate 57 | Total graduation rate, 1957 |

```

      type:  numeric (double)

      range:  [0,1.44]                units:  .01
unique values:  56                    missing :  6/280

      mean:   .819927
      std. dev: .127386

percentiles:    10%      25%      50%      75%
                .69      .75      .81      .89

```

f enrol 54	Flag for total enrollment, 1954
------------	---------------------------------

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280      0      Not imputed

```

f open 54 Flag for length of school year, 1954

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

```
f attend 54          Flag for average daily attendance, 1954
```

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280      0   Not imputed

```

f_sal_54 Flag for total salary, 1954

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation: Freq. Numeric Label
279 0 Not imputed
1 1 Imputed

f_expen_54 Flag for expenses on instruction, 1954

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation: Freq. Numeric Label
276 0 Not imputed
4 1 Imputed

f_expup_54 Flag for expenditures per pupil, 1954

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation: Freq. Numeric Label
276 0 Not imputed
4 1 Imputed

f_tforcel_54 Flag for size of teaching force 1, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tforce2_54 Flag for size of teaching force 2, 1954

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

f_tsall_54	Flag for average teacher salary 1, 1954
------------	---

f_tsal2_54	Flag for average teacher salary 2, 1954
------------	---

f_ptratl_54	Flag for pupil-teacher ratio 1, 1954
-------------	--------------------------------------

f_ptrat2_54	Flag for pupil-teacher ratio 2, 1954
-------------	--------------------------------------

f enrol 55 Flag for total enrollment, 1955

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
                                units: 1
                                missing .: 0/280

        tabulation: Freq.    Numeric    Label
                     279        0    Not imputed
                     1         1    Imputed

```

```

-----
f_open_55                                     Flag for length of school year, 1955
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
                                units: 1
                                missing .: 0/280

        tabulation: Freq.    Numeric    Label
                     279        0    Not imputed
                     1         1    Imputed

```

```

-----
f_attend_55                                 Flag for average daily attendance, 1955
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
                                units: 1
                                missing .: 0/280

        tabulation: Freq.    Numeric    Label
                     279        0    Not imputed
                     1         1    Imputed

```

```

-----
f_sal_55                                     Flag for total salary, 1955
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
                                units: 1
                                missing .: 0/280

        tabulation: Freq.    Numeric    Label
                     279        0    Not imputed
                     1         1    Imputed

```

```

-----
f_expen_55                                 Flag for expenses on instruction, 1955
-----

```

```

        type: numeric (float)
        label: impute

        range: [0,1]
        unique values: 2
                                units: 1
                                missing .: 0/280

        tabulation: Freq.    Numeric    Label

```

277 0 Not imputed
3 1 Imputed

f_expup_55 Flag for expenditures per pupil, 1955

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/280

tabulation: Freq. Numeric Label
277 0 Not imputed
3 1 Imputed

f_tforce1_55 Flag for size of teaching force 1, 1955

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tforce2_55 Flag for size of teaching force 2, 1955

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsal1_55 Flag for average teacher salary 1, 1955

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing ..: 0/280

tabulation: Freq. Numeric Label
279 0 Not imputed
1 1 Imputed

f_tsal2_55 Flag for average teacher salary 2, 1955

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_ptrat1_55 Flag for pupil-teacher ratio 1, 1955

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_ptrat2_55 Flag for pupil-teacher ratio 2, 1955

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_enrol_56 Flag for total enrollment, 1956

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_open_56 Flag for length of school year, 1956

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed


```

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
            280      0 Not imputed

```

```

-----
f_tforce2_56                                     Flag for size of teaching force 2, 1956
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation: Freq. Numeric Label
            279      0 Not imputed
             1      1 Imputed

```

```

-----
f_tsall1_56                                     Flag for average teacher salary 1, 1956
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation: Freq. Numeric Label
            279      0 Not imputed
             1      1 Imputed

```

```

-----
f_tsall2_56                                     Flag for average teacher salary 2, 1956
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation: Freq. Numeric Label
            278      0 Not imputed
             2      1 Imputed

```

```

-----
f_ptrat1_56                                     Flag for pupil-teacher ratio 1, 1956
-----

```

```

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation: Freq. Numeric Label
            279      0 Not imputed
             1      1 Imputed

```

f_ptrat2_56	Flag for pupil-teacher ratio 2, 1956
-------------	--------------------------------------

```

      type: numeric (float)
      label: impute

      range: [0,1]                                units: 1
unique values: 2                                missing : 0/280

      tabulation:  Freq.   Numeric   Label
                   278         0   Not imputed
                   2          1   Imputed

```

f_enrol_57	Flag for total enrollment, 1957
------------	---------------------------------

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f_open_57	Flag for length of school year, 1957
-----------	--------------------------------------

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f_attend_57	Flag for average daily attendance, 1957
-------------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f sal 57	Flag for total salary, 1957
1	1
2	1
3	1
4	1
5	1
6	1
7	1
8	1
9	1
10	1
11	1
12	1
13	1
14	1
15	1
16	1
17	1
18	1
19	1
20	1
21	1
22	1
23	1
24	1
25	1
26	1
27	1
28	1
29	1
30	1
31	1
32	1
33	1
34	1
35	1
36	1
37	1
38	1
39	1
40	1
41	1
42	1
43	1
44	1
45	1
46	1
47	1
48	1
49	1
50	1
51	1
52	1
53	1
54	1
55	1
56	1
57	1
58	1
59	1
60	1
61	1
62	1
63	1
64	1
65	1
66	1
67	1
68	1
69	1
70	1
71	1
72	1
73	1
74	1
75	1
76	1
77	1
78	1
79	1
80	1
81	1
82	1
83	1
84	1
85	1
86	1
87	1
88	1
89	1
90	1
91	1
92	1
93	1
94	1
95	1
96	1
97	1
98	1
99	1
100	1

```

      type:  numeric (float)
      label:  impute

      range:  [0,1]
      units:  1
unique values: 2
missing : 0/280

```

f_expen_57	Flag for expenses on instruction, 1957
------------	--

```

tabulation:  Freq.    Numeric    Label
              280          0    Not imputed

```

f_expup_57	Flag for expenditures per pupil, 1957
------------	---------------------------------------

```
tabulation:  Freq.    Numeric  Label
              280         0  Not imputed
```

f_tforce1_57	Flag for size of teaching force 1, 1957
--------------	---

```

tabulation:  Freq.    Numeric  Label
              280         0  Not imputed

```

f_tforce2_57	Flag for size of teaching force 2, 1957
--------------	---

```

tabulation:  Freq.    Numeric  Label
              278         0  Not imputed
              2         1  Imputed

```

tsall	Flag for average teacher salary 1, 1957
57	

```
type:  numeric (float)
label:  impute
```

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tsal2_57 Flag for average teacher salary 2, 1957

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	278	0	Not imputed
	2	1	Imputed

f_ptrat1_57 Flag for pupil-teacher ratio 1, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_ptrat2_57 Flag for pupil-teacher ratio 2, 1957

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tdi0_54 Flag for taught in district for < 1 year, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tdi1_54	Flag for taught in district for 1 year, 1954
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                   280       0   Not imputed

```

f_tdi2_54	Flag for taught in district for 2 years, 1954
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f_tdi3_54	Flag for taught in district for 3 years, 1954
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f_tdi4_54	Flag for taught in district for 4 years, 1954
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f tdi5 54	Flag for taught in district for 5 years, 1954
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280         0   Not imputed

```


tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex4_54 Flag for 4 years of teaching experience, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing :: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex5_54 Flag for 5 years of teaching experience, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing :: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex5p_54 Flag for > 5 years of teaching experience, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing :: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc0_54 Flag for teachers w/ < 1 year beyond 12th grade, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing :: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc1_54 Flag for teachers w/ 1 year beyond 12th grade, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1

unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tsc2_54 Flag for teachers w/ 2 years beyond 12th grade, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tsc3_54 Flag for teachers w/ 3 years beyond 12th grade, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tsc4_54 Flag for teachers w/ 4 years beyond 12th grade, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tsc5_54 Flag for teachers w/ 5 years beyond 12th grade, 1954

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tsc5p_54 Flag for teachers w/ > 5 years beyond 12th grade, 1954

type: numeric (float)
label: impute

```

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/280

        tabulation: Freq.  Numeric  Label
                     280      0  Not imputed

```

```
-----
f_tdi0_55                      Flag for taught in district for < 1 year, 1955
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/280

        tabulation: Freq.  Numeric  Label
                     280      0  Not imputed

```

```
-----
f_tdi1_55                      Flag for taught in district for 1 year, 1955
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/280

        tabulation: Freq.  Numeric  Label
                     280      0  Not imputed

```

```
-----
f_tdi2_55                      Flag for taught in district for 2 years, 1955
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/280

        tabulation: Freq.  Numeric  Label
                     280      0  Not imputed

```

```
-----
f_tdi3_55                      Flag for taught in district for 3 years, 1955
-----
```

```

        type: numeric (float)
        label: impute

        range: [0,0]                      units: 1
unique values: 1                      missing .: 0/280

        tabulation: Freq.  Numeric  Label
                     280      0  Not imputed

```

```
-----
f_tdi4_55                      Flag for taught in district for 4 years, 1955
-----
```

f_tsc0_55 Flag for teachers w/ < 1 year beyond 12th grade, 1955

 type: numeric (float)
 label: impute

 range: [0,1] units: 1
unique values: 2 missing .: 0/280

 tabulation: Freq. Numeric Label
 279 0 Not imputed
 1 1 Imputed

f_tsc1_55 Flag for teachers w/ 1 year beyond 12th grade, 1955

 type: numeric (float)
 label: impute

 range: [0,1] units: 1
unique values: 2 missing .: 0/280

 tabulation: Freq. Numeric Label
 279 0 Not imputed
 1 1 Imputed

f_tsc2_55 Flag for teachers w/ 2 years beyond 12th grade, 1955

 type: numeric (float)
 label: impute

 range: [0,1] units: 1
unique values: 2 missing .: 0/280

 tabulation: Freq. Numeric Label
 279 0 Not imputed
 1 1 Imputed

f_tsc3_55 Flag for teachers w/ 3 years beyond 12th grade, 1955

 type: numeric (float)
 label: impute

 range: [0,1] units: 1
unique values: 2 missing .: 0/280

 tabulation: Freq. Numeric Label
 279 0 Not imputed
 1 1 Imputed

f_tsc4_55 Flag for teachers w/ 4 years beyond 12th grade, 1955

 type: numeric (float)
 label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tsc5_55 Flag for teachers w/ 5 years beyond 12th grade, 1955

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tsc5p_55 Flag for teachers w/ > 5 years beyond 12th grade, 1955

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tdi0_56 Flag for taught in district for < 1 year, 1956

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tdi1_56 Flag for taught in district for 1 year, 1956

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tdi2_56 Flag for taught in district for 2 years, 1956

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing.: 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280         0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280         0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280         0   Not imputed

```

f_tex0_56	Flag for < 1 year of teaching experience, 1956
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,1]                                units: 1
unique values: 2                                missing : 0/280

      tabulation:  Freq.   Numeric   Label
                   279         0   Not imputed
                   1         1   Imputed

```

f_tex1_56	Flag for 1 year of teaching experience, 1956
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,1]                                units: 1
unique values: 2                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  279       0   Not imputed
                   1       1   Imputed

```

f_tex2_56	Flag for 2 years of teaching experience, 1956
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,1]                                units: 1
unique values: 2                                missing : 0/280

      tabulation:  Freq.   Numeric   Label
                   279         0   Not imputed
                   1         1   Imputed

```

f tex3 56 Flag for 3 years of teaching experience, 1956

```

      type: numeric (float)
      label: impute

      range: [0,1]                                units: 1
unique values: 2                                missing : 0/280

      tabulation:  Freq.   Numeric   Label
                   279         0   Not imputed
                   1         1   Imputed

```

f tex4 56 Flag for 4 years of teaching experience, 1956

```
type:  numeric (float)
label:  impute
```


range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tex5_56 Flag for 5 years of teaching experience, 1956

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tex5p_56 Flag for > 5 years of teaching experience, 1956

type: numeric (float)
label: impute

range: [0,1] units: 1
unique values: 2 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	279	0	Not imputed
	1	1	Imputed

f_tsc0_56 Flag for teachers w/ < 1 year beyond 12th grade, 1956

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tsc1_56 Flag for teachers w/ 1 year beyond 12th grade, 1956

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation:	Freq.	Numeric	Label
	280	0	Not imputed

f_tsc2_56 Flag for teachers w/ 2 years beyond 12th grade, 1956

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing.: 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280         0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280         0   Not imputed

```

Variable	Description
f_tdi0_57	Flag for taught in district for < 1 year, 1957

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f_tdi1_57	Flag for taught in district for 1 year, 1957
-----------	--

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280      0   Not imputed

```

f_tdi2_57	Flag for taught in district for 2 years, 1957
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                                units: 1
unique values: 1                                missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280       0   Not imputed

```

f_tdi3_57	Flag for taught in district for 3 years, 1957
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]                      units: 1
unique values: 1                      missing : 0/280

      tabulation: Freq.   Numeric   Label
                  280      0   Not imputed

```

f_tdi4_57	Flag for taught in district for 4 years, 1957
-----------	---

```

      type: numeric (float)
      label: impute

      range: [0,0]          units: 1
unique values: 1          missing : 0/280

      tabulation: Freq.   Numeric   Label

```

280 0 Not imputed

f_tdi5_57 Flag for taught in district for 5 years, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tdi5p_57 Flag for taught in district for > 5 years, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex0_57 Flag for < 1 year of teaching experience, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex1_57 Flag for 1 year of teaching experience, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex2_57 Flag for 2 years of teaching experience, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex3_57 Flag for 3 years of teaching experience, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex4_57 Flag for 4 years of teaching experience, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex5_57 Flag for 5 years of teaching experience, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tex5p_57 Flag for > 5 years of teaching experience, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing ..: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc0_57 Flag for teachers w/ < 1 year beyond 12th grade, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc1_57 Flag for teachers w/ 1 year beyond 12th grade, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc2_57 Flag for teachers w/ 2 years beyond 12th grade, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc3_57 Flag for teachers w/ 3 years beyond 12th grade, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc4_57 Flag for teachers w/ 4 years beyond 12th grade, 1957

type: numeric (float)
label: impute

range: [0,0] units: 1
unique values: 1 missing .: 0/280

tabulation: Freq. Numeric Label
280 0 Not imputed

f_tsc5_57 Flag for teachers w/ 5 years beyond 12th grade, 1957

type: numeric (float)

```
label: impute
range: [0,0] units: 1
unique values: 1 missing .: 0/280
```

```
tabulation: Freq. Numeric Label
             280      0 Not imputed
```

```
-----
f_tsc5p_57      Flag for teachers w/ > 5 years beyond 12th grade, 1957
-----
```

```
type: numeric (float)
label: impute
```

```
range: [0,0] units: 1
unique values: 1 missing .: 0/280
```

```
tabulation: Freq. Numeric Label
             280      0 Not imputed
```